I og Toy on Western	I no comos:	Water Well Record	Form WWC-5	KSA 82a-1212			
LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number	
Sedgwick	SE 1/4		W 1/4	21	T 27 s	R 1E EW	
Distance and direction frem nearest town or city street address of well if located within city?							
120 N. Mosley Wichita, Kansas							
l	RD INC.						
	RR#, ST. ADRESS, BOX #: 120 N. Mosley Board of Agriculture, Division of Water Resource						
CITY, STATE, ZIP CODE: Wichit	a, Kansas	HAGER			Application Numbe	r:	
3 LOCATE WELL'S LOCATION WITH 4	DЕРТН ОГ С <mark>⊕́М</mark>	UGGED PLETED WELL	29	ft. ELE	VATION:		
AN "X" IN SECTION BOX:	epth(s) groundwa	iter Encountered	1	ft.	2 ft.	3 ft.	
	LL'S STATIC WA	ATER LEVEL 15	FT.	BELOW LAND SUF	RFACE MEASURED ON mo/day/yr	09/27/1993	
NW NE	Pump test	data: Well w	vater was	ft. a	after hours pum		
Ref	Yield	gpm: Well v	vater was		after hours pum		
E Bore	Hole Diameter U	NKNOWN in.	to	ft.,	and in.	to ft.	
=	LL WATER TOTAL	EUSED AS: 5	Public water	supply	8 Air conditioning 11 I	njection well	
swse	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering 12 C	Other (Specify below)	
	2 Irrigation	4 Industrial	7 Lawn and ga	rden only 1	0 Monitoring well un	known	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was						io/day/yr sample was	
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS: G	lued Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cemen	ıt <u>9</u> (Other (Specify be	elow) V	Velded	
2 PVC 4 ABS	7 Fiberglass	σε	alvanize	d steel T	hreaded X		
Blank casing Diameter 6 in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 36	in.,	weight		lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION	MATERIAL:	-		PVC	10 Asbestos-ceme	ent	
1 Steel 3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specify)	
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPENING	G ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched		7 Torch cut			10 Other (specify)		
SCREEN-PERFORATION INTERVALS:							
SOURCE TENTORATION INTERVALS.		ft.		ft., From	ft. to	ft.	
from		ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from		ft. to		ft., From		ft.	
from ft. to ft., From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						ft.	
<u> </u>					4 Other		
What is the nearest source of possible contamination:		ft., From ft. to		o 10 Livestoc	ft., From	ft. to ft.	
1 Septic tank 4 Lateral lines				11 Fuel sto	al ataman		
A.C. 11		8 Sewage lagoon		12 Fertiliz	130	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage						outer (specify below)	
	ı	Feedyard			_		
	OLOGIC LOG		FROM	ТО	How many feet? 15 PLUGGING INTER	RVALS	
			0		ement grout		
		-	6		entonite hole	plug	
		1000000	18		hlorinated san		
						· · · · · · · · · · · · · · · · · · ·	
						V	
				† † †			
			1	 			
7.0							
			†	 			
		West Town		 	White A		
7			<u> </u>	I			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
Was completed on (mo/day/year)							
Well Contractor's License No							
Jame Fraderich							
688 yanu o'ruauruak							