


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Sedgewick</u>	<u>NE 1/4 NW 1/4 SE 1/4</u>	<u>21</u>	<u>T 27 S</u>	<u>R 1</u> EW

Distance and direction from nearest town or city street address of well if located within city?

In Wichita, Ks. : 133 S. Pattie

2 WATER WELL OWNER: <u>Jack Parny</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>135 S. Pattie</u>	Application Number:
City, State, ZIP Code: <u>Wichita, Ks. 67211</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL. <u>20'6"</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered <u>11'</u> ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL <u>9.80</u> ft. below land surface measured on mo/day/yr <u>12-2-93</u>
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter <u>7 1/2"</u> in. to <u>20'6"</u> ft., and in. to ft.
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes No 10

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded Threaded X
Blank casing diameter <u>2.375</u> in. to <u>10'</u> ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface. <u>Flush Mount</u> in., weight lbs./ft. Wall thickness or gauge No. <u>SDR-13</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	<u>Sch 40</u>
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
11 Other (specify)			
12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	8 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>20'</u> ft. to <u>10'</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From <u>20'</u> ft. to <u>9'</u> ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>9'</u> ft. to <u>3'</u> ft., From <u>3'</u> ft. to <u>0'</u> ft., From ft. to ft.				
What is the nearest source of possible contamination:	2	2	11	
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	
Direction from well? <u>North West</u>			How many feet? <u>140'</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.60	<u>Sand & Gravel Parking lot</u>			
1.60	4.75	<u>DK Brown - DK Gray Br clay, friable w/ iron oxide staining</u>			
4.75	11.25	<u>olive Br clay w/ Gray to yellow Br clay friable, iron oxides w/ some fine sand</u>			
11.25	20.50	<u>Gray - yellow fine - coarse grained sand sub rounded, well graded</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12-2-93</u> and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. <u>539</u> This Water Well Record was completed on (mo/day/yr) <u>12-8-93</u>
under the business name of <u>J.B. Environmental Drilling</u> by (signature) <u>James Becker</u>