


1 LOCATION OF WATER WELL: County: <u>Sedgwick</u>	Fraction <u>SE</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$	Section Number <u>21</u>	Township Number T <u>27</u> S	Range Number R <u>1</u> <u>EW</u>
--	---	-----------------------------	----------------------------------	--------------------------------------

Distance and direction from nearest town or city street address of well if located within city?

In Wichita; 133 S. Pattie

2 WATER WELL OWNER: RR#, St. Address, Box # : <u>Jack Army</u> City, State, ZIP Code : <u>135 S. Pattie</u> <u>Wichita, Ks. 67211</u>	Board of Agriculture, Division of Water Resources Application Number:
--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>20'6"</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <u>10'</u> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>9.31</u> ft. below land surface measured on mo/day/yr <u>12-2-93</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>7 1/2"</u> in. to <u>20'6"</u> ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>No</u> X
---	--

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) <u>2 PVC</u> 4 ABS Blank casing diameter <u>2.375</u> in. to <u>10'</u> ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface <u>Flush Mount</u> in., weight lbs./ft. Wall thickness or gauge No. <u>SDR-13</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <u>3 Mill slot</u> 4 Key punched 2 Louvered shutter 4 Key punched SCREEN-PERFORATED INTERVALS: From <u>20'</u> ft. to <u>10'</u> ft., From ft. to ft. GRAVEL PACK INTERVALS: From <u>20'</u> ft. to <u>8'</u> ft., From ft. to ft.	7 PVC 10 Asbestos-cement <u>Sch 40</u> 11 Other (specify) 12 None used (open hole) 8 Concrete tile CASING JOINTS: Glued Clamped 9 Other (specify below) Welded Threaded X 8 Saw cut 11 None (open hole) 9 Drilled holes 10 Other (specify)
--	---

6 GROUT MATERIAL: Grout Intervals: From <u>8'</u> ft. to <u>3 1/2'</u> ft., From <u>3 1/2'</u> ft. to <u>0'</u> ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy <u>11</u> Fuel storage 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? <u>East South East</u> How many feet? <u>100'</u>	1 Neat cement 2 Cement grout 3 Bentonite 4 Other 10 Livestock pens 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
---	---

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.50	Asphalt			
1.50	3.50	dk Brn clay, friable, slight med Brn mottling			
3.50	5.50	olive-yellow Brn clay w/ dk Brn clay			
5.50	12.0	yellowish Brn sandy silt to silty sand w/ med. sandy silt mottling			
12.0	20.50	yellow silty sand to sand, fine-med. grained coarsening downward, sub rounded grains			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12-2-93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>539</u> This Water Well Record was completed on (mo/day/yr) <u>12-8-93</u> under the business name of <u>JB Environmental Drilling</u> by (signature) <u>James Bieber</u>
