

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number
County: Sedgwick		SE 1/4 NW 1/4 1/4	21		T 27 S	R 1 EW
Distance and direction from nearest town or city street address of well if located within city? Southwest corner of the intersection of 2nd Steet and Mead, Wichita, Kansas						
2 WATER WELL OWNER:		The Coleman Company				
RR#, St. Address, Box # :		250 N. St. Francis				
City, State, ZIP Code :		Wichita, Kansas 67202				
		Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 32.0 ft. ELEVATION: n/a				
		Depth(s) Groundwater Encountered 1. 15.5 ft. 2. . ft. 3. . ft.				
		WELL'S STATIC WATER LEVEL 15.5 ft. below land surface measured on mo/day/yr 02/16/90				
		Pump test data: Well water was . ft. after . hours pumping . gpm				
		Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm				
		Bore Hole Diameter 6.5 in. to 33.5 ft., and . in. to . ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 127				
		Was a chemical/bacteriological sample submitted to Department? Yes. . No. X ; If yes, mo/day/yr sample was sub- mitted				
		Water Well Disinfected? Yes . No X				
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued . Clamped .				
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile		Welded .				
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)		Threaded. X				
Blank casing diameter 2.0 in. to 32.0 ft., Dia . in. to . ft., Dia . in. to . ft.						
Casing height above land surface flush in., weight . lbs./ft. Wall thickness or gauge No. Sch 40						
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement				
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) .						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)				
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) .						
SCREEN-PERFORATED INTERVALS: From 22.0 ft. to 32.0 ft., From . ft. to . ft.						
From 10.0 ft. to 20.0 ft., From . ft. to . ft.						
GRAVEL PACK INTERVALS: From 8.0 ft. to 20.0 ft., From . ft. to . ft.						
From . ft. to . ft., From . ft. to . ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other volclay grout						
Grout Intervals: From 1.0 ft. to 6.0 ft., From . ft. to . ft., From . ft. to . ft.						
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well				
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage						
Direction from well?		How many feet?				
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
0.0	3.5	Clay: dark brown; low to medium plasticity.	17.0	20.0	Sand: coarse; stained; very poorly sorted; 5-10% gravels; saturated.	
3.5	5.0	Clay: brown mottled; 5-10% very fine sand; low plasticity.	20.0	32.5	Sand; saturated; stained; petroleum odor; 20-30% gravels.	
5.0	6.0	Sandy Clay: brown; 15-20% very fine sand.	32.5	33.5	Shale:	
6.0	9.0	Clay: blue-gray mottled; 5% sand; medium plasticity.				
9.0	11.0	Sand: red-brown; clay stringers.				
11.0	15.0	Sand: as above, no clay stringers; gray stain; well sorted.				
15.0	15.5	Sand: as above; stain more prominent; clay seam at 15.0.				
15.5	17.0	Sand: medium coarse; gray stained; poorly sorted; wet.				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 02/16/90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 471 This Water Well Record was completed on (mo/day/yr) 02/02/90 under the business name of HWS Technologies Inc. by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4