

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number																																																							
County: <u>Sedgwick</u>		NE 1/4 SW 1/4 NW 1/4		21		T 27 S		R 1 <u>E/W</u>																																																							
Distance and direction from nearest town or city street address of well if located within city?																																																															
<u>Frist & St. Francis St., Wichita, Ks.</u> <u>B50</u>																																																															
2 WATER WELL OWNER:		Coleman Company, Inc.																																																													
RR#, St. Address, Box # :		250 North St. Francis St.																																																													
City, State, ZIP Code :		Wichita, Kansas 67216																																																													
		Board of Agriculture, Division of Water Resources Application Number:																																																													
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>38</u> ft. ELEVATION:																																																													
		Depth(s) Groundwater Encountered 1. <u>17</u> ft. 2. <u>38</u> ft. 3. <u>3/23</u> ft.																																																													
		WELL'S STATIC WATER LEVEL <u>17</u> ft. below land surface measured on mo/day/yr																																																													
		Pump test data: Well water was <u>38</u> ft. after <u>3</u> hours pumping <u>38</u> gpm																																																													
		Est. Yield <u>38</u> gpm Well water was <u>38</u> ft. after <u>3</u> hours pumping <u>38</u> gpm																																																													
		Bore Hole Diameter <u>8</u> in. to <u>38</u> ft., and <u>38</u> in. to <u>38</u> ft.																																																													
		WELL WATER TO BE USED AS:																																																													
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 18 Monitoring well																																																													
		Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> If yes, mo/day/yr sample was submitted <u>3/23</u>																																																													
		Water Well Disinfected? Yes <u>No</u>																																																													
5 TYPE OF BLANK CASING USED:																																																															
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>Clamped</u> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded																																																															
Blank casing diameter <u>2</u> in. to <u>28</u> ft., Dia <u>28</u> in. to <u>38</u> ft., Dia <u>38</u> in. to <u>38</u> ft.																																																															
Casing height above land surface <u>28</u> in., weight <u>28</u> lbs./ft. Wall thickness or gauge No. <u>28</u>																																																															
TYPE OF SCREEN OR PERFORATION MATERIAL:																																																															
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 8 RMP (SR) 11 Other (specify) 6 Concrete tile 9 ABS 12 None used (open hole)																																																															
SCREEN OR PERFORATION OPENINGS ARE:																																																															
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)																																																															
SCREEN-PERFORATED INTERVALS:																																																															
From <u>28</u> ft. to <u>38</u> ft. From <u>28</u> ft. to <u>38</u> ft. From <u>28</u> ft. to <u>38</u> ft. From <u>28</u> ft. to <u>38</u> ft.																																																															
GRAVEL PACK INTERVALS:																																																															
From <u>26</u> ft. to <u>38</u> ft. From <u>26</u> ft. to <u>38</u> ft. From <u>26</u> ft. to <u>38</u> ft. From <u>26</u> ft. to <u>38</u> ft.																																																															
6 GROUT MATERIAL:																																																															
1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <u>0</u> ft. to <u>26</u> ft. From <u>26</u> ft. to <u>38</u> ft. From <u>38</u> ft. to <u>38</u> ft.																																																															
What is the nearest source of possible contamination:																																																															
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) <u>FLAND</u> 13 Insecticide storage																																																															
Direction from well? <u>WITHIN</u> How many feet? <u>38</u>																																																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>1.5</td> <td>Silt</td> <td></td> <td></td> <td></td> </tr> <tr> <td>1.5</td> <td>3</td> <td>Clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>5</td> <td>Clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>10</td> <td>Sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>10.5</td> <td>Clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10.5</td> <td>16</td> <td>Sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>16</td> <td>17</td> <td>Clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>17</td> <td>40</td> <td>Sand</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	1.5	Silt				1.5	3	Clay				3	5	Clay				5	10	Sand				10	10.5	Clay				10.5	16	Sand				16	17	Clay				17	40	Sand			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																										
0	1.5	Silt																																																													
1.5	3	Clay																																																													
3	5	Clay																																																													
5	10	Sand																																																													
10	10.5	Clay																																																													
10.5	16	Sand																																																													
16	17	Clay																																																													
17	40	Sand																																																													
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3/23/91</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>102</u> This Water Well Record was completed on (mo/day/yr) <u>3/25/91</u> under the business name of <u>Layne Western Co., Wichita, Ks</u> by (signature) <u>B. Meier</u> B. Meier																																																															