

1 LOCATION OF WATER WELL: County: Sedgwick		Fraction NE ¼ SW ¼ NW ¼	Section Number 21	Township Number T 27 S	Range Number R 1 E/W
Distance and direction from nearest town or city street address of well if located within city? <div style="text-align: right;">MW 135 S</div>					
Frist & St. Francis St., Wichita, Ks.					
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Coleman Company, Inc. 250 N. St. Francis Wichita, Ks. 67216			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		Board of Agriculture, Division of Water Resources Application Number:			
<div style="text-align: center;">N ----- NW NE ----- SW SE ----- S E</div> <div style="text-align: center;">1 Mile ↑ ↓</div>		4 DEPTH OF COMPLETED WELL: 27 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 17 ft. 2. .ft. 3. .ft.			
		WELL'S STATIC WATER LEVEL 17 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was .ft. after . hours pumping gpm			
		Est. Yield 8 gpm: Well water was .ft. after . hours pumping gpm			
		Bore Hole Diameter 8 in. to 27 ft., and .in. to .ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No..... If yes, mo/day/yr sample was sub-			
		mitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued . Clamped .			
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile Welded .			
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below) Threaded .			
Blank casing diameter 2 in. to 17 ft., Dia .in. to .ft., Dia .in. to .ft.					
Casing height above land surface .in., weight .lbs./ft. Wall thickness or gauge No. .					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass		8 RMP (SR) 11 Other (specify) .			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot		6 Wire wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 17		10 Other (specify) .			
SCREEN-PERFORATED INTERVALS:		From .ft. to .ft., From 27 ft. to .ft.			
		From .ft. to .ft., From .ft. to .ft.			
GRAVEL PACK INTERVALS:		From .ft. to .ft., From 13 27 ft. to .ft.			
		From .ft. to .ft., From .ft. to .ft.			
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other			
Grout Intervals: From .ft. to 13 ft., From .ft. to .ft., From .ft. to .ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		16 Other (specify below)			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage PLANT					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? WITHIN		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
9	10	Sandy loam			
10	27	Sand			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/23/91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 102 This Water Well Record was completed on (mo/day/yr) 3/25/91 under the business name Wayne Western Co., Inc., Wichita, Ks by (signature) B. Meier B. Meier					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					