LOCATION OF WATER			orm WWC-5	KSA 82a	<del>,</del>	NIW 3	Dongo	Number	
LOCATION OF WATER ounty: Sedawi		_	- 1/4 Seci	2	Township N		R	Number	
stance and direction from	m nearest town or city str	reet address of well if located Mathewson						· •	
WATER WELL OWNE									
R#, St. Address, Box #		athewson			Board of	Agriculture, D	ivision of W	ater Resour	
y, State, ZIP Code	Wichita					n Number:	11131011 01 111	100000	
LOCATE WELL'S LOCA	ATION WITH A DEPTH	OF COMPLETED WELL 2	A.D	# ELEVA	TION:	Transition.			
AN "X" IN SECTION B	OX: Depth(s) G	OF COMPLETED WELL		F16 # 2				1 ft	
	Dopan(o) C	Touridwater Endountered			face measured o		- '/ '/ '/ '	<i>17</i> 5	
		Pump test data: Well water	•				,		
NW	NE Est. Yield	gpm: Well water				•			
		Diameter. 814in. to							
W	t	- 1	Public water		8 Air conditioning		njection well		
cw l	I 1 Dom	nestic 3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12 (	Other (Specif	y below)	
;\''	2 Irriga				Monitoring we				
i	Was a cher	mical/bacteriological sample su	bmitted to De	-	esNo ter Well Disinfect		mo/day/yr sa	•	
TYPE OF BLANK CAS	ING USED:	5 Wrought iron	8 Concre	te tile	CASING JO	INTS: Glued	Cla	mped	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (	specify below	<b>(</b> )	Welde	d		
(2)=vc	4 ABS	7 Fiberglass					ded		
ank casing diameter	<b>2.0</b> in. to!	3.16 ft., Dia	in. to		ft., Dia	<b>. i</b> i	n. to		
sing height above land	surface	in., weight	` <u></u>	Ibs./1	ft. Wall thickness	or gauge No	sch.	40	
	PERFORATION MATERIA	<del></del> -	<b>O</b> PVO			bestos-cemer			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR		11 Other (specify)				
2 Brass CREEN OR PERFORAT	4 Galvanized steel		6 Concrete tile 9 ABS 5 Gauzed wrapped		12 None used (open hole) 8 Saw cut 11 None (open hole)				
1 Continuous slot	3 Mill slot	6 Wire wr			9 Drilled holes		i i None (o	pen noie)	
2 Louvered shutter	4 Key punched		• •		10 Other (specif	57)			
REEN-PERFORATED	• •	7 Torch c	" 23.16	the Eron	n	• •			
SHEERY EIN GIBRIED	From				n				
GRAVEL PACK		11 0	24.0	ft., Fror	n				
	From	ft. to_		ft., Fror		ft. to			
GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bento	nite 4	Other				
out Intervals: From.	<b>0</b> ft. to	<b>9.0</b> ft., From	ft. 1	to	ft., From .		. ft. to		
	e of possible contamination			_	tock pens		andoned wa		
1 Septic tank	4 Lateral lines				el storage 15 Oil well/Gas well				
2 Sewer lines	5 Cess pool		• -		zer storage	16 Ot	her (specify	below)	
	lines 6 Seepage pit	9 Feedyard			ticide storage				
rection from well?	North	OGIC LOG	FROM	How mar	ny feet? <b>~/00</b>	LUGGING IN	TERVALS		
0 1	Rephatt ! Subar		THOM	- 10	·	2000110 11	· / LITTALO	<del></del>	
7 6 2	Silla Chi.	MAC							
6 9 3	Sand Clara	· · · · · · · · · · · · · · · · · · ·							
9 12	Silfu Cand								
12 17	Sand Fine	med grained.							
17 24 9	Sand saturat	ed: med coarse							
	arained.								
			ļi	LL					
CONTRACTOR'S OR	LANDOWNER'S CERTIF	ICATION: This water well was							
mpleted on (mo/day/yea	, .	(Enz)			rd is true to the b	est of my kno	wledge and	belief. Kans	
ater Well Contractor's L	icense No.	This Water Well	Record wa	-		77 F Q-	180		
der the business name		LAB		by (signat		uf U.	M	<u> </u>	
INSTRUCTIONS: Use typev	riter or ball point pen. PLEASE F	PRESS FIRMLY and PRINT clearly. Plea	se fill in blanks,	underline or circle	the correct answers.	Send tog three c	opies Kansas	Department	
of Health and Environment,	bureau or water, Topeka, Kansa	as 66620-7320. Telephone: 913-296-554	o. Senta one to t	MAIEN WELL U	TINET AND IELANI UNE	ioi your records.			