

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>NW 1/4 SE 1/4 NW 1/4</u>	<u>21</u>	T <u>27</u> S	R <u>1</u> E
Distance and direction from nearest town or city street address of well if located within city? <u>250 N. St Francis Wichita KS</u> <u>East Westside Factory B</u>					
2 WATER WELL OWNER:		SP-6			
RR#, St. Address, Box # :		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>32</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>15</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>15</u> ft. below land surface measured on mo/day/yr <u>8-10-93</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>8</u> in. to <u>32</u> in. to in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well <u>Air Gase Well</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No..... <u>X</u> ; If yes, mo/day/yr sample was submitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded			
2 PVC 4 ABS <u>steel</u>		7 Fiberglass Threaded <u>X</u>			
Blank casing diameter <u>2</u> in. to <u>10</u> ft. Dia <u>2</u> in. to <u>30</u> ft. Dia in. to ft.					
Casing height above land surface <u>30</u> in. weight lbs./ft. Wall thickness or gauge No. <u>sch 40</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVD 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>32</u> ft. to <u>30</u> ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>32</u> ft. to <u>26</u> ft. From ft. to ft.					
6 GROUT MATERIAL: <u>Neat cement</u> 2 Cement grout 3 Bentonite 4 Other <u>w/ 5% bentonite</u>					
Grout Intervals: From <u>26</u> ft. to <u>surface</u> ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
<u>Watertight sewer lines</u> 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? <u>South</u>		How many feet? <u>100'</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	0.5	concrete			
0.5	2	silt			
2	10	silty CLAY			
10	15	SAND med to fine			
15	31	SAND coarse to fine of zone of gravel			
31	32	CLAY olive green			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8-10-93</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>517</u> This Water Well Record was completed on (mo/day/yr) <u>8/13/93</u>					
under the business name of <u>Groundwater Tech Inc.</u> by (signature) <u>Albert Stout</u>					