			WAT	ER WELL RECORD	Form WWC-5	KSA 82	2a-1212			
LOCATION	ON OF WAT	ER WELL:	Fraction		Sec	tion Number		ımber	Range Number	
County:	Sedawick		NE		NW 1/4 2	2	T 27	S	R 1 (E)W	
Distance a	nd direction	from nearest tov	wn or city street	address of well if loca	ted within city?				01948002	
	1900 Eas	st Central	, Latitude	37-41-35.889	, Longitud	e 97 - 18	-45.044		MW-7	
	R WELL OW		tern Resou							
RR#, St. A	Address, Box		. Box 889				Board of A	griculture,	Division of Water Resources	
City, State, ZIP Code : Topeka, KS						Application Number:				
LOCATE	WELL'S LO	OCATION WITH	4 DEPTH OF	COMPLETED WELL.	18.5	ft. ELEV	'ATION:	299.•3		
AN "X"	IN SECTION	BOX:	Depth(s) Groun	ndwater Encountered	113.5	ft	2	ft. 3	3	
, Г	ΧI	1	WELL'S STAT	IC WATER LEVEL	14.5 н. ь	elow land s	urface measured on	mo/day/yr	02/04/94	
	1 1	1.	Pu	mp test data: Well wa	ater was	ft.	after	hours pu	umping gpm	
1 i	- NM	NE	Est. Yield	IÄ gpm: Well w	ater was	ft.	after	hours pu	umping gpm	
.	-	- i L	1	•					n. to	
₹ ⊬	- 		1	TO BE USED AS:	5 Public water		8 Air conditioning			
-		<u>i</u>	1 Domest	ic 3 Feedlot			9 Dewatering	12	Other (Specify below)	
j-	- SW	SE	2 Irrigation	n 4 Industrial						
	- ¦						_		s, mo/day/yr sample was sub-	
į L			mitted				Vater Well Disinfecte		No X	
TYPE (OF BLANK C	ASING USED:		5 Wrought iron	8 Concre				d Clamped	
1 Ste		3 RMP (S	(R)	•		(specify bel			ded	
(2)PV		4 ABS	··· ·	7 Fiberglass			•		adedX	
Blank casi	no diameter	2	.in. to 8		in. to		ft Dia		in. to ft.	
Casing hei	ight above la	ind surface	- 3	in., weight		lb:	s./ft. Wall thickness	or gauge N	sch 40	
					(7)PV	С		estos-cem		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel				5 Fiberglass	•					
2 Brass 4 Galvanized steel				6 Concrete tile	_				e used (open hole)	
		RATION OPENIN			uzed wrapped	_	8 Saw cut		11 None (open hole)	
	ontinuous slo	_	Aill slot		e wrapped		9 Drilled holes		(
	uvered shutt	•	(ey punched		rch cut			Λ		
		ED INTERVALS:				ft F			toft.	
OO! ILLIY!	LIW OIDAIL								toft.	
(SRAVEL PAG	CK INTERVALS:							toft.	
`	J. 1744 E.E. 7 74	OK 1147.2.1177.20	From				rom		to ft.	
6 GROUT	MATERIAL	: 1 Neat	cement	(2)Cement grout	(3)Bento	nite	4 Other		ft. toft.	
Grout Inte		m		5 ft., From	4.5 ft.	to6.5	ft., From		ft. to	
				,			estock pens		Abandoned water well	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pi							el storage	15 (Oil well/Gas well	
	wer lines	5 Cess						16 Other (specify below)		
3 Watertight sewer lines			•	9 Feedyard	-	13 Insecticide storage				
Direction f		cco c ccc,	page p	• • • • • • • • • • • • • • • • • • • •		How many feet?				
FROM	TO		LITHOLOGI	C LOG	FROM	TO	PL	UGGING	INTERVALS	
0	0.2	Asphalt								
0.2	0.8	Concrete								
0.8	3.0	Fat Clay;	: Dark Bro	wn						
3.0	8.0	Fat Clay;	Tan							
8.0	9.0	Fat Clay	With Fine	Sand; Tan						
9.0	11.0		d With Sil							
11.0	18.5		Medium San							
	1000									
	-									
								u		
	1		DIS CERTIFICA	TION: This water well	was (1) constru	cted (2) re	constructed or (2)	olunged un	der my jurisdiction and was	
CONT	HACTOR'S (JH LANDOWNE	:H S CEHTIFICA NA /QA	THON: This water well	was Constru	and this re	cord is true to the he	et of my b	nowledge and belief. Kansas	
completed	on (mo/day	year)	116	This Water	Well Beard wa	anu mas re complete	d on (mo/day/ur)	Z = 01/2	03/01/94	
MIDTOL WO		s license No	 		THEIR FRECUIT WE	·~ combiere	S SIT (IIIO/Gay/yy/ /./			
	business na	_		ultants, Inc.		by (sig	nature)	we 1	1 Flecher	