		WATER WELL RECORD Form WWC-5 KSA 82a-1212 MW-050											
1 LOCATIO	ON OF WAT	ER WELL:	Fraction		- \	Section	n Number	r To	ownship	1		Range Nu	ımber
County:	Sed	awick-	3E 1/2		5W 1/4				27	s	R		E)W
Distance a	nd direction	rom nearest t		ddress of well if loca									
		00 E.		Wichite	a, 109	7							
2 WATER	R WELL OW	_											
RR#, St. A	Address, Box			10.01					Board of	Agricultur	e, Divisio	n of Wate	r Resources
City, State	, ZIP Code	: Wic	hita, KS	67201	<u> </u>				Applicatio				
3 LOCATE	WELL'S LO	CATION WIT	H4 DEPTH OF (COMPLETED WELL.	30	<u>.</u>	ft. ELEV	ATION:					
- AN "X"	IN SECTION	BOX:	Depth(s) Ground	dwater Encountered	115	! • • • • • •	ft.	2		ft	t. 3		ft.
ī	!	1	WELL'S STATION	WATER LEVEL		. ft. belo	w land su	urface me	easured o	n mo/day	/yr		
1 1	- Nw	NE	Pum	p test data: Well w	ater was .		ft.	after		. hours	pumping		gpm
	- 1714		Est. Yield	gpm: Well w	ater was	<u></u>	ft.	after		. hours	pumping		gpm
• L	<u>i 1</u>	1	Bore Hole Diam	eter % in.	to	30	ft.,	and			.in. to .		
ž w þ	!	1	WELL WATER	TO BE USED AS:	5 Public	water s	supply	8 Air c	onditionin	g	11 Injection	on well	
7 l	SW.	!	1 Domestic	3 Feedlot	6 Oil fie	eld water	supply	9 Dew	atering		12 Other	(Specify t	pelow)
	- 3" - V	3 1	2 Irrigation	4 Industrial	7 Lawn	and gar	den only	Mon Mon	itoring we	برا			
	i	1	Was a chemical	bacteriological sampl	e submitted	d to Depa	artment? \	Yes	No,/	🏡; If y	es, mo/da	ay/yr sam	ple was sub-
	Ş		mitted				w	ater Well	Disinfect	ed? Yes		No X	
5 TYPE C	OF BLANK C	ASING USED	:	5 Wrought iron	8 (Concrete	tile	C	ASING JO	DINTS: G	lued	Clamp	ed
1_Ste	eel	3 RMP (SR)	6 Asbestos-Cemer	nt 9 (Other (sp	ecify belo	ow)		W	elded		
(2)PV	C	24 ABS	10	7 Fiberglass		. <i></i>				Th	readed	X	
				ft., Dia									ft.
Casing hei	ght above la	nd surface	O	.in., weight		الأسم	Ibs	./ft. Wall	thickness	or gauge	No 🖍	4 <i>v</i>	
TYPE OF	SCREEN OF	R PERFORATI	ON MATERIAL:		•	7 PVC			10 As	bestos-ce	ement		
1 Ste	eel	3 Stainle	ess steel	5 Fiberglass		8 RMP	(SR)		11 Ot	her (spec	ify)		
2 Bra	ass	4 Galvar	nized steel	6 Concrete tile		9 ABS			12 No	ne used	(open hol	e)	
SCREEN OR PERFORATION OPENINGS ARE:				5 Gauzed wrapped				8 Sa	w cut		11 N	lone (ope	n hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped								9 Dri	lled holes				
2 Lo	uvered shutte	er 4	Key punched	7 Toi	rch cut	20		10 Oth	ner (speci	fy)			
SCREEN-F	PERFORATE	D INTERVAL	6: From	10 ft. to		20	ft., Fro	om		f	t. to		ft.
			From	ft. to									
G	BRAVEL PAC	CK INTERVAL		•	•	<i>7</i> V							- 1
1			From	ft. to		}	ft., Fr				t. to		ft.
	MATERIAL		t cement	2 Cement grout		Bentonit							
Grout Inter				ft., From		. π. το.							l l
			le contamination:	7 Disconius				stock per	ns			ned water	weii
1 Septic tank 4 Lateral lines								el storage 15 Oil well/Gas well tilizer storage 16 Other (specify belo					
	wer lines		ss pool	8 Sewage la	-				•	16	o Other (s	pecity be	iow)
		er lines 6 Se	epage pit	9 Feedyard				ecticide st	•				
Direction f	rom well?		LITHOLOGIC	LOG	FRO	OM T	TO TO	any feet?		LUGGIN	G INTER	VALS	
PROM	B	Z:14.	(Ia.	LOG		J.W.				<u> </u>	<u> </u>	MEO	
2	16	Call	(%)										
72	22	Sille	Sand		7.								
72	32	2:11	Clan Lake	thered Sha	(x)								
	1	2019	Josep C War		7								
				1	<u> </u>						1 0		
		Grant	miance	and casi	na he	ight	Var	anel	- Ara	inted	for	•	
		Buch	manut "	vers.		1			7				
		11W 2	proposition of					100					
7 CONT	ACTORIC O	D I ANDOMA	ER'S CERTIEICAT	ION: This water well	was (1)	onstructo	nd. (2) rec	constructe	ed. or (3)	plugged	under my	iurisdictic	on and was
			ALGA	ION. IIIIS WALEI WEII	was								lief. Kansas
	on (mo/day/	s License No.	- How Ca	This Water	Well Reco						1-10	-03	, nansas
			000	Valer	7500 11000	w as (by (sign		Jain	JL	oi a		
	business nar		nt nen PLEASE PRESS	FIRMLY and PRINT clearly.	Please fill in	hlanks und			ct answere	Send ton the	ee conies to	Kansas Dor	nartment
of Healt	th and Environme	pewriter or ball pol ent, Bureau of Wat	er Protection, Topeka, K	ansas 66620-7320. Telepho	ne: 913-296-55	514. Send o	one to WATE	ER WELL O	WNER and	retain one fo	or your recor	ds.	a.mont