


1 LOCATION OF WATER WELL: County: <b>Sedgwick</b>		Fraction <b>NW 1/4 SW 1/4 SW 1/4</b>		Section Number <b>22</b>		Township Number <b>T 27 S</b>		Range Number <b>R 1 E/W</b>			
Distance and direction from nearest town or city street address of well if located within city? <b>1900 E Central Wichita, KS</b>											
2 WATER WELL OWNER: <b>KGE</b> RR#, St. Address, Box #: <b>Box 208</b> City, State, ZIP Code: <b>Wichita, KS 67202</b> Board of Agriculture, Division of Water Resources Application Number:											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;">  </div>			4 DEPTH OF COMPLETED WELL: <b>20</b> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <b>15</b> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <b>10.5</b> ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <b>7.25</b> in. to <b>20</b> ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <b>10</b> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <b>X</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <b>X</b>								
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <b>2</b> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter <b>4</b> in. to <b>10</b> ft., Dia in. to ft., Dia in. to ft. Casing height above land surface in., weight <b>2</b> lbs./ft. Wall thickness or gauge No. <b>40</b> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <b>3</b> Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <b>10</b> ft. to <b>20</b> ft., From ft. to ft. GRAVEL PACK INTERVALS: From <b>8.5</b> ft. to <b>20</b> ft., From ft. to ft. From ft. to ft., From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <b>3</b> Bentonite 4 Other <b>Volday</b> Grout intervals: From <b>7</b> ft. to <b>8.5</b> ft., From <b>0</b> ft. to <b>7</b> ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy <b>11</b> Fuel storage 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) Direction from well? <b>NE</b> How many feet? <b>5</b>											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
0		14		Silty clay							
14		20		Sand							
Grout variance and casing height granted.											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>(1)</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>10-7-89</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>517</b> This Water Well Record was completed on (mo/day/yr) under the business name of <b>Groundwater Technology</b> by (signature) <b>Benny McFarland</b>											