1 LOCATION OF W	TED WELL	FRACTION	Water Well Record	Form WWC-5			<u></u>	
Ľ					Section Number	Township Number	Range Number	
Sedg		NE 1/4	<u>NE 1/4 N</u>	W 1/4	22	т 27 в	R 1E EW	
Distance and direction from nearest town or city street address of well if located within city?								
2305 E	. Central	<u>Wichita</u>	,Kansas					
2 WATER WELL	OWNER: STUC	HLIK, Sar	ah & WADE,	Marily	n			
RRW, ST. ADRESS	BOX#: 2262	Manhatta	L			Board of Agriculture, Divivsion of Water Resource		
CITY, STATE, ZI	CODE: Wich	ita, Kans	as DIUCCED	S PLUCCED 67204		Application Number:		
3 LOCATE WELL'S		I DEPTH OF GG	MPLETED WELL	28	fl. ELI	EVATION:		
AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 RASEMENT 2 FT COD ft. 3 ft.								
	X	WELL'S STATIC	WATER LEVEL 4	FT	BELOW	ENT FLOOR ft.	04/13/1993	
NW	NE	Pump te	est data: Well w	ater was		after hours pum	ping gpm	
		Est. Yield	gpm: Well w	ater was	ft.	after hours pum		
w		Bore Hole Diameter	was in i	to	fL,	and in.	to ft.	
		Bore Hole Diameter WELL WATER FC	BE USED AS: 5	Public wate	r supply	8 Air conditioning 11 I	njection well	
¥	se	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12 C	Other (Specify below)	
Sw Z		2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Monitoring well		
		Was a chemical/bac	teriological sample sub	mitted to De	epartment? Yes	No 🗶 ; If yes, m	io/day/yr sample was	
S submitted Water Well Disinfected? Yes X No								
5 TYPE OF CA	SING USED:		5 Wrought iron					
1 Steel 3 RMP (SR)			6 Asbestos-Cement 9 Other (Specify					
2 PVC	4 ABS		7 Fiberglass			Т	hreaded	
Blank casing Diameter 6 in. to ft., Dia in. to ft., Dia in. to ft.								
Casing height we BASEMENT FLOOR in.,			weight lbs. / ft.			Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL:			7 PVC			10 Asbestos-cement		
I Steel 3 Stainless Steel			5 Fiberglass 8 RMP (SR)			11 other (specify)		
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS						12 None used (op	en hole)	
SCREEN OR PERFORATION OPENING ARE:			5 Gauze	5 Gauzed wrapped		8 Saw cut 11 None (open hole)		
1 Continous slot	3 Mill slo	t	6 Wire wrapped			9 Drilled holes		
2 Louvered shutte	r 4 Key pu	7 Torch cut			10 Other (specify)			
SCREEN-PERFO	RATION INTERVA	ALS: from	ft. :		ft., From		ft.	
from					-			
GRAVEL PACK INTERVALS: from			fL to		ft., From ft., Fron		ft.	
from		ft. to		ft., From ft. t		ft.		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 0 ft. to 6 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible co		contamination:	, 2 1 0/11	14	10 Livesto	-h	bandon water well	
1 Septic tank 4 Later		l lines	7 Pit privy		11 Fuel st	orage 15 (15 Oil well/Gas well	
2 Sewer lines 5 Cess		loool	8 Sewage lagoo	n	12 Fertil		16 Other (specify below)	
3 Watertight sew	-		9 Feedyard		13 Insecti	cide storage		
Direction form we						How many feet? 12		
FROM TO			FROM TO		то	PLUGGING INTERVALS		
			0 6			cement grout		
						bentonite hole plug		
				12		chlorinated san		
			· · · · · · · · · · · · · · · · · · ·					
				1				
			· · · · · · · · · · · · · · · · · · ·					
7	DIS as							
7 CONTRACTO	R'S OR LANDOWNER	s certification: TI	his water well was (1)	constructe	ed, (2) reconstru	icted, or (3) <u>plugged</u> under n	ny jurisdiction and	
was completed	on (mo/day/year) .		. 1993	ind this rec	ord is true to th	e best of my knowledge and	belief. Kansas Water	
was completed	on (mo/day/year) .		. 1993	ind this rec	ord is true to th	e best of my knowledge and	belief. Kansas Water	
was completed	on (mo/day/year) .		. 1993	ind this rec	ord is true to th	e best of my knowledge and	belief. Kansas Water	