	WATER WELL RECORD F	orm vvvvC-5	NOA 62a-				
1 LOCATION OF WATER WELL:	Fraction	Section	on Number	Township N	umber	Range Num	iber
County:Sedgwick			28	т 27	S F	7 01E	E/W
Distance and direction from nearest town or ci			`				
NW corner of Orme and Mosl	ley (directly west of	RR Track	.)				
WATER WELL OWNER: KDHE Forbes Fiel	1.4						
PD# St Address Pay # . Bldc 7/10	MW1S			Board of A	griculture, Divisio	on of Water F	Resources
City, State, ZIP Code : Topeka, Kar	nsas			Application	•		
LOCATE WELL'S LOCATION WITH 4 DEI		475	# FLEVA			pt	
							1
N Depth(n(s) Groundwater Encountered 1.	5	π. 2		π. 3	27/90	
X WELL	'S STATIC WATER LEVEL 16.2				• •		
NW NE	Pump test data: Well water					_	1
Est. Yi	rield gpm: Well water						
Bore l	Hole Diameter in. to	23.0	ft., a	ınd	in. to		ft.
¥ V I WELL	WATER TO BE USED AS: 5	Public water	supply	8 Air conditioning	11 Inject	tion well	
7	Domestic 3 Feedlot 6	Oil field wate	r supply	9 Dewatering	12 Other	r (Specify belo	low)
SW SE 2				0 Monitoring well			
	a chemical/bacteriological sample su						
Y				er Well Disinfecte			
TYPE OF BLANK CASING USED:	Voc Analysis-4/30/90				NTS: Glued		
-	5 Wrought iron	8 Concrete				•	
1 Steel 3 RMP (SR)	6 Asbestos-Cement		pecify below	•		.	
2_PVC 4 ABS	7 Fiberglass					X	
Blank casing diameter \dots 2. \dots in. to .							1
Casing height above land surface. $\dots 155$.	.F.t in., weight			t. Wall thickness	or gauge No. Sc	hedule 4	ا 0
TYPE OF SCREEN OR PERFORATION MATI	TERIAL:	7 PVC		10 Asb	estos-cement		
1 Steel 3 Stainless steel	5 Fiberglass	8 RMP	(SR)	11 Oth	er (specify)		
2 Brass 4 Galvanized stee		9 ABS			e used (open ho		
SCREEN OR PERFORATION OPENINGS AR		wrapped		8 Saw cut		None (open h	hole)
	0.010	rapped		9 Drilled holes		(0)	,
2 Louvered shutter 4 Key pund	school 7 Torob o			10 Other Januaif	۸		
	1/-4/5	22.475		10 Other (specify	()		
	om ft. to						
GRAVEL PACK INTERVALS: Fro	rom 1.5 . 00 ft. to 2	22 • 4./.5	ft., Fron	n	ft. to		ft.
Fro	om ft. to		ft., Fron	<u> </u>	ft. to		ft.
GROUT MATERIAL: 1 Neat cement	t 2 Cement grout	3 Bentoni	ite 4 (Other			
Grout Intervals: From 12.5 ft. to .	1 .5075. ft., From0.	ft. to	12.•5	ft., From	ft.	to	ft.
What is the nearest source of possible contam	nination:		10 Livest	ock pens	14 Abando	oned water w	⁄ell
1 Septic tank 4 Lateral lines	s 7 Pit privy		11 Fuels	storage	15 Oil wel	II/Gas well	
2 Sewer lines 5 Cess pool	8 Sewage lagoo	on	12 Fertiliz	zer storage ,,	16 Other	(specify below	v)
3 Watertight sewer lines 6 Seepage pit				- V O	16 Other of the cs detected oundwater-	d in the	ei ol
Direction from well?	5 · 555/u.5		How man	~ %∓	ea.	- Thuaser	I Lati
	HOLOGIC LOG	FROM	TO	y loot:	UGGING INTER	RVALS	
	ey-brn clayey fill mate	 					
1 1		errar wir	II SUIII	su a givi	****		
	sdy clay, trace grvl	 _ _ 					
6 12 med brn silty 12 14 med brn sdy s	clay, trace sd and grain filt and clay (vf grain	tvl					
		1					
14 22 med y-brn silt	ty sd (f to c), trace	vc sd &	vf grvl				
22 23 med brn silty	sd (vf to vc), & f g	rv1					
					7-0114-7		
		L					
							i i
CONTRACTORIO OD LANDONNIESTO OS	*DTIFICATION! Tel-	(1) 22-1-1	-d (0)	entrusted (C)	humand under	v juriodistica	and was
CONTRACTOR'S OR LANDOWNER'S CE							
completed on (mo/day/year)		a	and this recor	d is true to the be	st of my knowled		
CONTRACTOR'S OR LANDOWNER'S CE completed on (mo/day/year)		a	and this recor completed o	d is true to the be on (mo/day/yr)			
completed on (mo/day/year)		a	and this recor	d is true to the be on (mo/day/yr)	st of my knowled		