510A	WATER WELL F		MWC-5 KSA 8			
LOCATION OF WATER WELL:	Fraction		Section Numb	· ·	ber Range Nu	
County: Sedgwick	SE 1/4 SE	<u>1/4 NE 1/4</u>		т 27	<u>S R 1</u>	E W
Distance and direction from nearest town	or city street address of	well if located within	ו city?			
1415 S. Topeka	Wichita					
WATER WELL OWNER: City	of Wichita					
R#, St. Address, Box # : 1900	E. 9th Street			Board of Agri	culture, Division of Wate	r Resources
City, State, ZIP Code : Wich	ita KS 6721	4		Application N	umber:	
LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:	DEPTH OF COMPLET					
E W I I BC - SW SE I I W W	st. Yield	a: Well water was b: Well water was Lin. to ED AS: 5 Puble Feedlot 6 Oil f ndustrial 7 Law	ft ft lic water supply ield water supply n and garden only ed to Department?	after	nours pumping nours pumping 	gpm gpm ft. pelow)
	itted			rene en		
TYPE OF BLANK CASING USED:	5 Wroug		Concrete tile		S: Glued Clamp	
1 Steel 3 RMP (SR)			Other (specify be	,	Welded	1
Z PVC 4 ABS Blank casing diameter4in.	7 Fiberç	•		# Dia		
Blank casing diameter 4						
			7 PVC			
		_	8 RMP (SR)		tos-cement	
1 Steel 3 Stainless si	•	•	9 ABS		(specify)	
2 Brass 4 Galvanized				8 Saw cut		n holo)
CREEN OR PERFORATION OPENINGS		5 Gauzed wra 6 Wire wrappe	•••	9 Drilled holes	11 None (ope	
			iu .			
2 Louvered shutter 4 Key		7 Tarah aut				
-	punched	7 Torch cut	2 4 5			
SCREEN-PERFORATED INTERVALS:	From252	ft. to 35.		From	ft. to	ft.
SCREEN-PERFORATED INTERVALS:	From. 25.2	ft. to35.		From	ft. to	ft.
-	From	ft. to 35. ft. to 35. ft. to 35.	•.2	From	ft. to	
SCREEN-PERFORATED INTERVALS:	From. 25.2 From From	ft. to	•.2	From	ft. to ft. to ft. to ft. to	ft. ft. ft. ft.
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer	From. 25.2 From From	ft. to		From	ft. to ft. to ft. to ft. to	ft. ft. ft.
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft.	From	ft. to		From From From Tom 4 Other 0 ft., From	ft. to ft. to ft. to ft. to ft. to	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From 22.0ft. What is the nearest source of possible co	From	ft. to		From From From 4 Other 0 ft., From /estock pens	ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From 22.0 ft. What is the nearest source of possible co 1 Septic tank 4 Lateral	From	ft. to		From	ft. to	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From. 22.0ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po	From. 25.2 From. 22.0 From 2 Cement to .18.0 ft., intamination: 1 lines 7 7 pol 8	ft. to 35. ft. to		From	ft. to. ft. to. ft. to. ft. to. ft. to	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From 220 ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag	From. 25.2 From. 22.0 From 2 Cement to .18.0 ft., intamination: 1 lines 7 7 pol 8	ft. to		From From From From 4 Other 4 Other 9 Other	ft. to	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag Direction from well?	From. 25.2 From. From. From 2 nent 2 contamination: 18.0 lines 7 pool 8 e pit 9	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess pc 3 Watertight sewer lines 6 Seepag Direction from well? FROM	From. 25.2 From. 22.0 From 2 Cement to .18.0 ft., intamination: 1 lines 7 7 pol 8	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to. ft. to. ft. to. ft. to. ft. to	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cert Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag Direction from well? FROM TO 0.0 0.3 Asphalt.	From. 25.2 From. From. From 7 nent 2 Cement 18.0 to 18.0 times 7 pool 8 e pit 9 LITHOLOGIC LOG	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess pc 3 Watertight sewer lines 6 Seepag Direction from well? FROM 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand	From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From. 22.0 ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag Direction from well? FROM TO 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand 3.9 5.2 Silty claye	From. 25.2 From. From. From 7 nent 2 Cement 18.0 to 18.0 times 7 pool 8 e pit 9 LITHOLOGIC LOG	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess pc 3 Watertight sewer lines 6 Seepag Direction from well? FROM FROM TO 0.3 3.9 Clayey sand 3.9 5.2 Silty claye 5.2 34.5	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From	From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess pc 3 Watertight sewer lines 6 Seepag Direction from well? FROM FROM TO 0.3 3.9 Clayey sand 3.9 5.2 Silty claye 5.2 34.5	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess pc 3 Watertight sewer lines 6 Seepag Direction from well? FROM FROM TO 0.3 3.9 Clayey sand 3.9 5.2 Silty claye 5.2 34.5	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess pc 3 Watertight sewer lines 6 Seepag Direction from well? FROM FROM TO 0.3 3.9 Clayey sand 3.9 5.2 Silty claye 5.2 34.5	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag Direction from well? FROM TO 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand 3.9 5.2 Silty claye	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. Vhat is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag Direction from well? FROM TO 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand 3.9 5.2 Silty claye	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag Direction from well? FROM TO 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand 3.9 5.2 Silty claye	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag Direction from well? FROM TO 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand 3.9 5.2 Silty claye	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess pc 3 Watertight sewer lines 6 Seepag Direction from well? FROM FROM TO 0.3 3.9 Clayey sand 3.9 5.2 Silty claye 5.2 34.5	From. 25.2 From	ft. to		From From From 4 Other 0 ft., From vestock pens vel storage ortilizer storage secticide storage many feet?	ft. to ft. to 	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess por 3 Watertight sewer lines 6 Seepag Direction from well? FROM TO 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand 3.9 5.2 Silty claye 5.2 34.5 Sand. 34.5 35.2 Silty clay. 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess por 3 Watertight sewer lines 6 Seepag Direction from sell? FROM TO 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand 3.9 5.2 Silty clay. 5.2 34.5 Sand. 34.5 35.2 Silty clay.	From. 25.2 From	ft. to		From	ft. to. ft. to. ft. to ft. to <tr< td=""><td></td></tr<>	
SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From220ft. What is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess pc 3 Watertight sewer lines 6 Seepag Direction from well? FROM FROM TO 0.3 3.9 Clayey sand 3.9 5.2 Silty claye 5.2 34.5	From. 25.2 From. From. 22.0. From ment <u>2 Cernen</u> to18.0ft., intamination: lines 7 bol 8 e pit 9 LITHOLOGIC LOG ly(fill?) sandy ey sand to silt . (Weathered C . (Weathered C	tt. to		From	ft. to. ft. to. ft. to. ft. to ft. to <t< td=""><td></td></t<>	
GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer Grout Intervals: From	From. 25.2 From. From. 22.0. From ment <u>2 Cernen</u> to18.0ft., intamination: lines 7 pol 8 e pit 9 LITHOLOGIC LOG ly(fill?) sandy ey sand to silt: . (Weathered C . (Weathered C . (Weathered C 	ft. to		From	ft. to. ft. to. ft. to. ft. to. ft. to 14 Abandoned water 15 Oil well/Gas well 16 Other (specify be Checking. 3GING INTERVALS 3GING INTERVALS gged under my jurisdiction of my knowledge and be	
GREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL: 1 Neat cer frout Intervals: From220ft. Vhat is the nearest source of possible co 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess po 3 Watertight sewer lines 6 Seepag Direction from well? FROM TO 0.0 0.3 Asphalt. 0.3 3.9 Clayey sand 3.9 5.2 Silty claye 5.2 34.5 Sand. 34.5 35.2 Silty clay. CONTRACTOR'S OR LANDOWNER'S completed on (mo/day/year)12–12- Vater Well Contractor's License No	From. 25.2 From. From. 22.0. From ment <u>2 Cernen</u> to18.0ft., intamination: lines 7 pol 8 e pit 9 LITHOLOGIC LOG ly(fill?) sandy ey sand to silt: . (Weathered C . (Weathered C . (Weathered C 	ft. to		From	ft. to. ft. to. ft. to. ft. to. ft. to 14 Abandoned water 15 Oil well/Gas well 16 Other (specify be Checking. 3GING INTERVALS 3GING INTERVALS gged under my jurisdiction of my knowledge and be	