	FRACTION	Water Well Record	Form WWC-5			T	
1 LOCATION OF WATER WELL:	İ			Section Number	Township Number	Range Number	
Sedgwick	NW 1/4	NE 1/4 N	E 1/4	32	T 27 s	R 1E EW	
Distance and direction frem nearest town or cit	y street address of well if loca	ted within city?					
1527 S. Main	Wichita, Ka	nsas					
	LANALP, Ros						
1 1	7 S. Main	0.1.1.0			Board of Agriculture, D	tvivsion of Water Resource	
	hita, Kansa	6			_		
	DEPTH OF GON	JUGGLID	20	. FI	Application Number	<u> </u>	
AN "X" IN SECTION BOX:	Ш		30		EVATION:	2	
N	Depth(s) groundwa		1	BASE	MENT FLOOR ft.	3 ft.	
	WELL'S STATIC W	. .		. BELOW EARD S	UNFACE MEASURED ON mo/day/yr	10/07/1993	
NE	Pump test	data: Well w	ater was	ft.	after hours pum	ping gpm	
	Est. Yield		ater was	ft.	after hours pum	ping gpm	
E W	Bore Hole Diameter	NS in t	to	ft.,	and in.	to ft.	
1 - 1 1	WELL WATER T O'I	E USED AS: 5	Public wate	r supply	8 Air conditioning 11 Is	njection well	
sw	1 Domestic	3 Feedlot 6	Oil field wa	iter supply	9 Dewatering 12 C	Other (Specify below)	
	2 Irrigation	4 Industrial 7	Lawn and g	garden only	10 Monitoring well		
	Was a chemical/bacte	riological sample sub	mitted to D	epartment? Yes	No X : If ves, m	o/day/yr sample was	
S	submitted	6 F		=		X No	
5 TYPE OF CASING USED:		5 Wrought iron	5	Concrete tile		lued Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cemen		Other (Specify)	~	rueu Crampeu Velded	
2 PVC 4 ABS		7 Fiberglass	,	omer (speeny	•	hreaded	
		J			_		
Blank casing Diameter BASEMEN		ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 6		weight		lbs. / ft.	Wall thickness or gauge No.	····•	
TYPE OF SCREEN OR PERFORA	HON MATERIAL:	5 Fiberglass		PVC RMP (SR)	10 Asbestos-ceme		
1 Steel 3 Stainless Steel		-			11 other (specify)	
2 Brass 4 Galvanized stee	el	6 Concrete tile	9	ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPI	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)		
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key p	7 Torch cut			10 Other (specify)			
SCREEN-PERFORATION INTERV	ALS: from			8 F	`•	Δ.	
SCREEN-IERIORATION INTERV		ft. 1		ft., Fron		ft.	
from		ft. to		ft., From		ft.	
GRAVEL PACK INTERVALS: from				ft., Fro	14 40	ft.	
C CDOVIDA CIDENTIA I Noch	from	<u>ft.</u>		ft., Fro	***************************************	<u> </u>	
6 GROUT MATERIAL: 1 Neat		ement grout	3 Be	ntonite	4 Other		
Grout Intervals: From O	ft. to 30	ft., From	ft.		ft., From	ft. to ft.	
What is the nearest source of possible contamination:				10 Livest		bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel s	150	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon				Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? West					How many feet? 10		
FROM TO	LITHOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
			0	30	cement grout		
		No. Assessment of the Control of the					
			I		TO PROBLEM.	\$00.00 <u>0.00</u> 0.00	
			Ī		And the first ball of the state of		
			1	1 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
1							
<u> </u>					** ** ** ** ** ** ** ** ** ** ** ** **		
			-				
				1			
7 CONTRACTORIS	OLO CONDENSION TL:	n water well was 44	construct	nd (2) ======	nicted or (2) white and a made	w juriodistics and	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)							
Under the business name of		rns water wen Kei	coru was c	ouhierea ou (u	::U/udy/yrj	H.I., H.M	
i onuer the business name of	ITO MAII A	eumo servi					
718	rrbwerr«	combsar.v.	₩.₩.J₩.	₩ by (sigr	fane ${\mathcal F}$	nodonich	