

LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 NW 1/4 Section Number 33 Township Number T 27 S Range Number R 1 E  
 County: Seely Creek  
 Distance and direction from nearest town or city street address of well if located within city?

Same as Below

WATER WELL OWNER: Anthony Ottel  
 R#, St. Address, Box #: 2131 S. Washington  
 City, State, ZIP Code: Wichita, KS. 67214  
 Board of Agriculture, Division of Water Resources  
 Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

DEPTH OF COMPLETED WELL: 23 ft. ELEVATION: 1290

Depth(s) Groundwater Encountered 1. 12 ft. 2. . ft. 3. . ft.

WELL'S STATIC WATER LEVEL 12 ft. below land surface measured on mo/day/yr 6-25-88

Pump test data: Well water was . ft. after . hours pumping . gpm

Est. Yield 15 gpm: Well water was . ft. after . hours pumping . gpm

Bore Hole Diameter 2 in. to 5 ft., and . in. to . ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 10 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes. . No. X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

TYPE OF BLANK CASING USED:

5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . . . Clamped . . .

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded . . .

2 PVC 4 ABS 7 Fiberglass . . . Threaded. ✓

Blank casing diameter 1.75 in. to 20 ft., Dia . in. to . ft., Dia . in. to . ft.

Casing height above land surface 12 in., weight . lbs./ft. Wall thickness or gauge No. sch 40

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement

2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) . . .

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) . . .

SCREEN-PERFORATED INTERVALS: From . ft. to . ft., From . ft. to . ft.

From . ft. to . ft., From . ft. to . ft.

GRAVEL PACK INTERVALS: From . ft. to . ft., From . ft. to . ft.

From . ft. to . ft., From . ft. to . ft.

GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other sandpoint

Grout intervals: From . ft. to . ft., From . ft. to . ft., From . ft. to . ft.

What is the nearest source of possible contamination: none 10 Livestock pens 14 Abandoned water well

1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage

Direction from well? How many feet?

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 5 sandy topsoil

5 23 sand

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-25-88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 463 This Water Well Record was completed on (mo/day/yr) 6-1-89 under the business name of R & A by (signature) Dane R. R. R.