

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Sedgwick		SE 1/4 NW 1/4 NE 1/4	33	T 27 S	R 1 E/W
Distance and direction from nearest town or city street address of well if located within city? 10' West of 1730 South Laura Street, Wichita, KS 52905020 LMMW-4					
2 WATER WELL OWNER: Boeing Military Airplanes					
RR#, St. Address, Box # : P. O. Box 7730 M/S K11-65			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Wichita, KS 67277-7730			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 32.0 ft. ELEVATION: Approx. Surface Elev: 99.9			
		Depth(s) Groundwater Encountered 1. 17 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 15.8 ft. below land surface measured on mo/day/yr 03/05/90			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield N/A gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 11 in. to 32.0 ft., and in. to ft.			
TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X			
Blank casing diameter 2 in. to 6.0 ft. Dia in. to ft. Dia in. to ft.		Casing height above land surface 36.2 in., weight lbs./ft. Wall thickness or gauge No. Schedule 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:		1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 6.0 ft. to 31.0 ft. From ft. to ft.		From ft. to ft. From ft. to ft.			
GRAVEL PACK INTERVALS: From 5.0 ft. to 32.0 ft. From ft. to ft.		From ft. to ft. From ft. to ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 3.0 ft. From 3.0 ft. to 5.0 ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard			10 Livestock pens 14 Abandoned water well 11 Fuel storage 15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Industrial Warehouse		
Direction from well? East			How many feet? 10		
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3.5	Fill: Dark Brown			
3.5	6.0	Dark Brown Lean Sandy Clay			
6.0	16.0	Light Brown Fine to Medium Sand			
16.0	20.0	Light Brown Medium to Coarse Sand with Gravel			
20.0	28.5	Gray Coarse Sand and Gravel			
28.5	32.0	Dark Gray Weathered Shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 02/28/90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 5-17-90 under the business name of Terracon Consultants, Inc. by (signature) <i>[Signature]</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send one to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					