

1 LOCATION OF WATER WELL: County: Sedgwick		Fraction NW 1/4 NE 1/4		Section Number 33		Township Number T 27 S		Range Number R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city? <u>1122 East Osie Wichita, Ks. (1 mile East of Washington, 1 South. of Harry, N.E. corner)</u>									
2 WATER WELL OWNER: Jerry D. Newman c/o Reiss and Goodness RR#, St. Address, Box # : 2160 W. 21st St. City, State, ZIP Code : Wichita, Ks.									
Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;">N W X E SW SE S</div>									
4 DEPTH OF COMPLETED WELL 26 ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL ... 14 ... ft. below land surface measured on mo/day/yr <u>6-1-90</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter ... 11 ... in. to ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No.....X.....; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No									
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 160 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded stainless SDR-26 Threaded screws Blank casing diameter 5 in. to <u>16</u> ft., Dia in. to ft., Dia in. to ft. Casing height above land surface ... 12 in., weight ... 2.29 lbs./ft. Wall thickness or gauge No. ... 214 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 16 ft. to 26 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 15 ft. to 26 ft., From ft. to ft. FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other .. hole plug Grout Intervals: From 4 ft. to 15 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage None Apparent Direction from well? How many feet?									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-1-90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>236</u> This Water Well Record was completed on (mo/day/yr) <u>6-4-90</u> under the business name of Harp Well and Pump Service, Inc. by (signature) Mary Arnold									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.									