		WAIEH	VELL RECORD F	orm WWC-5	KSA 82a-1			
OCATION OF WAT	, //-	Fraction 1/4	SE "NE	Section Section	n Number	Township Numb		Range Number
ance and direction	from nearest town o	or city street addre	ess of well if located	within city?	•			, , ,
	1	Villen	• '1			·		
WATER WELL OW		3. H	Eloido			Board of Agric	ultura Divis	ion of Water Resourc
*, St. Address, Bo		17 1	1 }	677	1	-		
, State, ZIP Code	2017/2011/1/17/1	reviews )	2	672 5	4. 51 51 41	Application 140	C) C3	
N "X" IN SECTIO	OCATION WITH 4	DEPTH OF COM	PLETED WELL. Ser Encountered 1.	15	ft. ELEVATI	ON:	برب برب	
·····	N De	pth(s) Groundwat	er Encountered 1.	<del> </del>	π. 2.		π. 3	8-10-91
NW	NE -							ng gpi
1		t. Yield	. gpm: Well water	was	ft. afte	er ho	ours pumpii	ng gpi
w					_	_		
						Air conditioning	•	ction well
SW	SE	1 Domestic	3 Feedlot 6	Oil field water	supply 9	Dewatering	12 Oth	er (Specify below)
1		2 Irrigation		_	-	1/		
<u> </u>			eriological sample su	ibmitted to Depa		•	-	/day/yr sample was si
DADE OF DIANK	· · · · · · · · · · · · · · · · · · ·	tted	M/maraba ima	9 Canarata		r Well Disinfected?		No X
TYPE OF BLANK (			Wrought iron	8 Concrete				( Clamped
1 Steel	3 RMP (SR)	7	Asbestos-Cement	` '	, ,		Throadod	
@/bvc	<b>4</b> ABS	25	Fiberglass			4 Di-	inreaded	ا
nk casing diameter	<del></del>	2	π., Dia	IN. LO		. III., Dia	III. I	160
•			, weight	<b>∂</b> Pvc	IDS./II.			
	R PERFORATION M 3 Stainless ste		Fiboraloss	8 RMP	(CD)	10 Asbesto		
1 Steel	4 Galvanized		Fiberglass Concrete tile	9 ABS	(3h)	12 None u	,	
2 Brass	RATION OPENINGS			d wrapped		8 Saw cut	• •	None (open hole)
			6 Wire w	• •		9 Drilled holes	'''	None (open note)
1 Continuous slo				• •				
2 Louvered shut	ter 4 Nev L	ounched 🚙	/ ۱۵۱۵۱۱ سم					
		Erom -	<b>)</b> ""	~ 35	# From	Other (specify)		
REEN-PERFORAT		From				0 Other (specify) .		
REEN-PERFORAT	ED INTERVALS:	From	ft. to		ft., From		, . ft. to	
REEN-PERFORAT	ED INTERVALS:	From	ft. to		ft., From ft., From		ft. to	
GRAVEL PA	ED INTERVALS: CK INTERVALS:	From From	ft. to ft. to ft. to		ft., From ft., From ft., From		ft. to ft. to ft. to	
GRAVEL PA	ED INTERVALS:  CK INTERVALS:  L: Neat cem	From From	ft. to ft. to ft. to ft. to ft. to Cement grout	3 Bentonite	ft., From ft., From ft., From e 4 O	ther	ft. to ft. to ft. to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro	ED INTERVALS:  CK INTERVALS:  C  Neat cem m	From. From From ent 15	ft. to ft. to ft. to ft. to ft. to Cement grout	3 Bentonite	ft., From ft., From ft., From e 4 O	thertt., From	ft. to ft. to ft. to ft. to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro- at is the nearest so	ED INTERVALS:  CK INTERVALS:  L: Neat cem	From. From  From  ent 15	ft. to ft. to ft. to ft. to  Cement grout ft., From	3 Bentonite	ft., Fromft., From ft., From e 4 0	thertt., Fromck pens	ft. to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank	CK INTERVALS:  CL:  Description  Neat cem  mft.  ource of possible con  4 Lateral li	From	ft. to ft. to ft. to  Cement grout ft., From	3 Bentonite	ft., Fromft., From ft., From e 4 0	ther	ft. to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS:  L: 1 Neat cem m	FromFrom  From tent to /5  ntamination: nes ol	ft. to ft. to ft. to ft. to  Cement grout ft., From  7 Pit privy 8 Sewage lagoo	3 Bentonite	ft., Fromft., From ft., From e 4 0	ther	ft. to	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	CK INTERVALS:  CL:  Description  Neat cem  mft.  ource of possible con  4 Lateral li	FromFrom  From tent to /5  ntamination: nes ol	ft. to ft. to ft. to  Cement grout ft., From	3 Bentonite	ft., Fromft., From ft., From e 4 0	ther	ft. to	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	FromFrom  From tent to /5  ntamination: nes ol	cement grout ft., From Pit privy Sewage lagoo	3 Bentonite	ft., Fromft., From ft., From e 4 0	ther	ft. to	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	From	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	From	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? GROM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	From	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	From	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	From	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	From	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	From	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	FromFromFromFromFromFrom	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	FromFromFromFromFromFrom	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. todoned water well ell/Gas well (specify below)
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Vatertight sew action from well? GOM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	FromFromFromFromFromFrom	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Vatertight sew action from well? GOM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	FromFromFromFromFromFrom	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	FromFromFromFromFromFrom	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	FromFromFromFromFromFrom	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO	ED INTERVALS:  CK INTERVALS:  L: Neat cem m. ft.  Durce of possible con 4 Lateral li 5 Cess poc ver lines 6 Seepage	FromFromFromFromFromFrom	cement grout ft., From Pit privy Sewage lagoo	3 Bentonito	ft., From ft., From e 4 0	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ED INTERVALS:  CK INTERVALS:  Purce of possible com 4 Lateral li 5 Cess poc ver lines 6 Seepage	From. From lent 15 20 Intamination: Ines Ines Ines Ines Ines Ines Ines Ines	ft. to ft. privy From Fit privy Sewage lagood Feedyard	3 Bentoniton ft. to.	ft., Fromft., From ft., From e 4 O 10 Livesto 11 Fuel str 12 Fertilize 13 Insectio How many TO	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  GING INTE	t. to
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ED INTERVALS:  CK INTERVALS:  Purce of possible com 4 Lateral li 5 Cess poc ver lines 6 Seepage	From. From lent 15 20 Intamination: Ines Ines Ines Ines Ines Ines Ines Ines	ft. to ft. privy From Fit privy Sewage lagood Feedyard	3 Bentoniton ft. to.	ft., Fromft., From ft., From e 4 O 10 Livesto 11 Fuel str 12 Fertilize 13 Insectio How many TO	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  GING INTE	t. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 6 5 5 3 5 CONTRACTOR'S	CK INTERVALS:  Neat cem  The course of possible con  4 Lateral li  5 Cess poor  Ver lines 6 Seepage  OFFINA  O	From From Prom Prom Prom Prom Prom Prom Prom P	ft. to ft. privy From Fit privy Sewage lagood Feedyard	3 Bentonito ft. to.	ft., Fromft., From ft., From e 4 O 10 Livesto 11 Fuel sta 12 Fertiliza 13 Insection How many TO	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ged under r	t. to
GRAVEL PA GROUT MATERIAL Let Intervals: Fro Let is the nearest so Let Sewer lines Watertight sew Lection from well? Lection from well from the we	CK INTERVALS:  Neat cem  The course of possible con  4 Lateral li  5 Cess poor  Ver lines 6 Seepage  OFFINA  COURTS  OR LANDOWNER'S  Vyear)	From From Prom Prom Prom Prom Prom Prom Prom P	ft. to ft. privy sewage lagor ft. privy sewage lagor freedyard	3 Bentonito ft. to.	ft., Fromft., From ft., From e 4 O 10 Livesto 11 Fuel sta 12 Fertiliza 13 Insection How many TO dd, (2) reconsend this record	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ged under r	t. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Vatertight sew action from well? OM TO 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	CK INTERVALS:  Neat cem  In the second of possible con  4 Lateral li  5 Cess poor  Ver lines 6 Seepage  OR LANDOWNER'S  Nyear)  S License No.	From From Prom Prom Prom Prom Prom Prom Prom P	ft. to ft. privy From Fit privy Sewage lagood Feedyard	3 Bentoniton ft. to.  FROM  FROM  On  FROM  If oonstructe an	ft., Fromft., From ft., From e 4 O 10 Livesto 11 Fuel sta 12 Fertiliza 13 Insection How many TO dd, (2) reconsend this record	ther	ft. to ft. to ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ft. to  ged under r	t. to