

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgewick</u>		<u>SW 1/4 SE 1/4 SW 1/4</u>	<u>34</u>	<u>T 27 S</u>	<u>R 1 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2002 E. Pawnee Ave Wichita, KS</u>					
2 WATER WELL OWNER: <u>Total Petroleum, Inc. - Retail Div.</u>					
RR#, St. Address, Box #: <u>P.O. Box 500</u>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code: <u>Denver, Colorado 80201</u>				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>23.5</u> ft. ELEVATION: <u>1285</u>			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>18</u> ft. below land surface measured on mo/day/yr <u>7/26/91</u>			
		Not Tested Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>6 1/4</u> in. to <u>23.5</u> ft., and in. to ft.			
WELL WATER TO BE USED AS:					
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10 Monitoring well</u> 12 Other (Specify below)					
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <u>No</u>					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass <u>Threaded</u>					
Blank casing diameter <u>2</u> in. to <u>13</u> ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface <u>0</u> in., weight lbs./ft. Wall thickness or gauge No. <u>Sch. 40</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass <u>7 PVC</u> 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot <u>3 Mill slot</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>23</u> ft. to <u>13</u> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>23</u> ft. to <u>11</u> ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement <u>2 Cement grout</u> <u>3 Bentonite</u> 4 Other					
Grout Intervals: From <u>11</u> ft. to <u>9</u> ft., From <u>9</u> ft. to <u>0</u> ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy <u>11 Fuel storage</u> 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>3</u>	<u>Brn Sandy Clay</u>			
<u>3</u>	<u>8</u>	<u>LT. Brn Fine Sand</u>			
<u>8</u>	<u>11.5</u>	<u>Brn Sandy Clay</u>			
<u>11.5</u>	<u>23</u>	<u>Brn Med. Sand</u>			
<u>23</u>	<u>23.5</u>	<u>OK Brn Clay</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7/25/91</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>519</u> This Water Well Record was completed on (mo/day/yr) <u>9/12/91</u> under the business name of <u>West Hazmat Drilling Corp</u> by (signature) <u>Larry N. Loney</u>					