

Plugging Report

1 LOCATION OF WATER WELL: County: Logansport Fraction: NW 1/4 SW 1/4 NE 1/4 Section Number: 34 Township Number: T 27 S Range Number: R 1 E/W

Distance and direction from nearest town or city street address of well if located within city?

2523 Rwa

2 WATER WELL OWNER: Mr Danley  
 RR#, St. Address, Box #: 2523 Rwa  
 City, State, ZIP Code: Wichita Kansas Board of Agriculture, Division of Water Resources  
 Application Number: 67211 none

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL: 25 ft. ELEVATION: 1300

Depth(s) Groundwater Encountered 1. 13 ft. 2. 13 ft. 3. 13 ft.  
 WELL'S STATIC WATER LEVEL 13 ft. below land surface measured on mo/day/yr 10-20-93

Pump test data: Well water was 13 ft. after 13 hours pumping 13 gpm

Est. Yield 13 gpm: Well water was 13 ft. after 13 hours pumping 13 gpm

Bore Hole Diameter 13 in. to 13 ft., and 13 in. to 13 ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes X No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No X

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped X

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X

2 PVC 4 ABS 7 Fiberglass Threaded X

Blank casing diameter 13 in. to 13 ft., Dia 13 in. to 13 ft., Dia 13 in. to 13 ft.

Casing height above land surface 13 in., weight 13 lbs./ft. Wall thickness or gauge No. 13

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes NA

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft.

GRAVEL PACK INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

From NA ft. to NA ft., From NA ft. to NA ft.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-20-93 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 472 This Water Well Record was completed on (mo/day/yr) 10-20-93

under the business name of Bearden Pumps & Well Drilling by (signature) David R. Bearden

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

E/W

SEC

1/4

1/4

1/4