

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>	<u>Sec 1/4 NW 1/4 NW 1/4</u>	<u>34</u>	T <u>27</u> S	R <u>1</u> <u>EW</u>

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: <u>Greenhouse Maintenance Shop</u>	<u>MW-4</u>	Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box #: <u>1700 South Hydraulic</u>		
City, State, ZIP Code: <u>Wichita, KS</u>		

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>26.07</u> ft. ELEVATION:		
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.		
	WELL'S STATIC WATER LEVEL <u>14.31</u> ft. below land surface measured on mo/day/yr		
	Pump test data: Well water was ft. after hours pumping gpm		
	Est. Yield gpm: Well water was ft. after hours pumping gpm		
Bore Hole Diameter in. to ft., and in. to ft.			
WELL WATER TO BE USED AS:			
1 Domestic	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	3 Feedlot	6 Oil field water supply	9 Dewatering
4 Industrial	7 Lawn and garden only	10 Monitoring well	12 Other (Specify below)
Was a chemical/bacteriological sample submitted to Department? Yes. No. If yes, mo/day/yr sample was submitted			
Water Well Disinfected? Yes. No.			

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded Threaded
Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 MML slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS:			
From 11.07 ft. to 26.07 ft., From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS:			
From 9.07 ft. to 26.07 ft., From ft. to ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout intervals: From 0 ft. to 1.5 ft., From 1.5 ft. to 8.07 ft., From 8.07 ft. to 9.07 ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	Clay, dusky yellowish brown			
10	15	Sand, fine, moderate yellowish brown.			
15	17	Sand, med. moderate yellowish brown.			
17	26	Sand, coarse, mod. yellowish brown.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/20/93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 438 This Water Well Record was completed on (mo/day/yr) 5/3/94 under the business name of <u>Kansas City Testing Lab Inc.</u> by (signature) <u>[Signature]</u>
--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.