LOCATION OF WA	TED WELL:	Fraction	TER WELL RECORD	Form vvvC-s	tion Number		Number	Range I	lumber
unty: Sedgwick	IIEN WELL:	SE	1/4 SE 1/4	SW 1/4	21	T 27	S	R 1	Low
stance and direction	n from nearest town o	B	t address of well if loc					1928009	MW-12
			west Corner of B		ed at 427	7 S. Washington	n, Wichita,	KS	EAST
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
WATER WELL OV	*****		ton			Board of	f Agriculture, D	hivision of Wat	er Resources
t#, St. Address, Bo	" .	•	1011				ion Number:	71131011 01 114	er 1163641663
y, State, ZIP Code				16					
LOCATE WELL'S I AN "X" IN SECTIO	N BOX: De	pth(s) Grou	COMPLETED WELL Indwater Encountered	1 13.	ft	t. <b>2</b>	ft. 3.		
NW	I NE	Pt	ric water Level	vater was	ft.	after	hours pur	mping	gpm
1			.Ņ∕Ā gpm: Wellv						
w - !	<b>♣</b>		meter8•2in.						π.
			R TO BE USED AS:	5 Public water		8 Air conditioni	•	Injection well	b -1 >
sw	SE	1 Domes		6 Oil field wa		_		Other (Specify	•
		2 Irrigation				Monitoring w			
<u> 1                                   </u>	· ·		al/bacteriological samp	ole submitted to D					
	<u> </u>	tted				Water Well Disinfer		No No	X .
TYPE OF BLANK			5 Wrought iron	8 Concre		-	IOINTS: Glued		•
1 Steel	3 RMP (SR)		6 Asbestos-Ceme	ent 9 Other	(specify be	low)		ed	
②PVC	4 ABS	_	7 Fiberglass					ded	
			ft., Dia						
sing height above	land surface		in., weight			s./ft. Wall thicknes	s or gauge No	<b>)</b>	
PE OF SCREEN (	OR PERFORATION N	MATERIAL:		<b>∂</b> °∨		10 A	Asbestos-ceme	nt	
1 Steel	3 Stainless st	eel	5 Fiberglass	8 RM	IP (SR)	11 C	Other (specify)		
2 Brass	4 Galvanized	steel	6 Concrete tile	9 AB	S	12 N	lone used (ope	en hole)	
REEN OR PERFO	PRATION OPENINGS	ARE:	5 G	auzed wrapped		8 Saw cut		11 None (op	en hole)
1 Continuous sl	lot (3)Mills	lot	6 W	ire wrapped		9 Drilled hole	s		
2 Louvered shu	itter 4 Key i	punched	7 To	orch cut		10 Other (spec	cify)		
REEN-PERFORAT	TED INTERVALS:	From	ft. to	o	ft., F	rom	ft. to	<b>.</b>	
		From	ft. to	o <i></i>	ft., F	rom	ft. to	<b>)</b>	ft.
GRAVEL PA	ACK INTERVALS:	From		16	ft., F	rom	ft. to	<b>.</b>	
		From	ft. to				ft. to		ft.
GROUT MATERIA	L: 1 Neat cerr	nent	(2) Cement grout	(3) Bento	nite	4 Other			
		to 1 • !	5 ft., From	1.5 ft.	to 3.	.5 ft., From		. ft. to	
	source of possible cor					estock pens		pandoned wat	
1 Septic tank	4 Lateral li	ines	7 Pit privy		11 Fu	el storage	15 Oi	i well/Gas we	ı
2 Sewer lines	5 Cess po		8 Sewage	lagoon		rtilizer storage		ther (specify b	
	wer lines 6 Seepage		9 Feedyard	-		ecticide storage			
rection from well?	wor mice o dooping	, p.,	o i oodya.ii	-		nany feet?			
ROM TO		LITHOLOG	IC LOG	FROM	TO		PLUGGING IN	NTERVALS	
0.0 0.8	Topsoil								
0.8 5.0	Lean Clay With	Sand; B	rown						
5.0 13.0			Gravel; Red-Brown						
13.0 16.0			th Gravel; Brown						
310	11110 10 110014	, 00,10							
						<del> </del>			
								<del> </del>	
i i									
				1	1	I			
CONTRACTOR'S	OR LANDOWNER'S	CERTIFIC	ATION: This water we	ll was (1) constru	cted (2) re	econstructed or /3	nu beaula (i	er mv iurisdic	tion and was
			ATION: This water we						
mpleted on (mo/da	y/year)	(06/92	ATION: This water we		and this re	cord is true to the	best of my kno		