LOCATION OF W	ATER WELL:	Fraction	WELL NEOONE	1 01111 44	Section Number	Township N	lumber	Range	Number
County: Sedgwic		SW 1/4	<b>N₩</b> 1/4	<b>NW</b> 1/4	24 20	T 27	<u>_</u>	R	1 600
Distance and direction	on from nearest town o	or city street add	ess of well if lo	cated within o	city?				EAST
89 Feet North	and 15 Feet East	of the NE Cor	ner of Phil	lips 66, M	Lean and Sene	ca, Wichita, I	KS (019180	002)	MW-1
WATER WELL C	WNER: Phillips P	Petroleum Comp	any						
z RR#, St. Address, E	3ox # : 12A2 Ph111	ips Building,	411 Keller			Board of	Agriculture, [	Division of V	Vater Resource
City, State, ZIP Cod	e : Bartlesvil	le, OK 74004				Applicatio	n Number:		
LOCATE WELL'S	LOCATION WITH 4								
TYPE OF BLANK  1 Steel  2 PVC  Blank casing diamet  Casing height above  TYPE OF SCREEN  1 Steel	ON BOX:  De WE  I I I I I I I I I I I I I I I I I I	epth(s) Groundwa ELL'S STATIC W Pump te it. Yield N/i ire Hole Diameter ELL WATER TO 1 Domestic 2 Irrigation as a chemical/bac tted  5 6 7 to 146 in MATERIAL: eel 5	ter Encountered ATER LEVEL ast data: Well A. gpm: Well a. 8.25in BE USED AS: 3 Feedlot 4 Industrial ateriological sam Wrought iron Asbestos-Cem Fiberglass a ft., Dia b Fiberglass	water was water was to 29 5 Public 6 Oil fiel 7 Lawn ple submitted 8 C	ft. below land sur  ft. below land sur  ft. a  water supply d water supply and garden only to Department? Ye  Wa  oncrete tile  ther (specify below  n. to	face measured or fter	n mo/day/yr hours pu hours pu hours pu 12 11 12 11 V; If yes, ed? Yes DINTS: Glued Weld Threa or gauge Nobestos-ceme her (specify)	09/17/9 mping mping Injection we Other (Spector) mo/day/yr s No d cli ed aded in. to o.	gpm gpm ft.  Il ify below)  sample was substanced
2 Brass	4 Galvanized	steel 6	Concrete tile	9	ABS	12 No	ne used (op	en hole)	
	ORATION OPENINGS			auzed wrapp	-	8 Saw cut	, ,		open hole)
1 Continuous				Vire wrapped		9 Drilled holes		`	,
2 Louvered sh	utter 4 Key r	punched	7 T	orch cut		10 Other (specif	fy)		
SCREEN-PERFORA	TED INTERVALS:	From 1.4	<b>ft</b> . 1	to	.29 ft., Fror				
GRAVEL F	PACK INTERVALS:								
		From	ft.		ft., Fron		_		ft.
GROUT MATERI	AL: 1 Neat cem	nent (2)	Cement grout	<b>3</b>	Bentonite 4	Other			
, Grout Intervals:    F	rom	to 10	ft., From	10	ft. to 12	ft., From .	<b>.</b>	ft. to	
	source of possible con					ock pens		bandoned w	
1 Septic tank	4 Lateral li		7 Pit privy	,	11)Fuel	=		il well/Gas v	
2 Sewer lines				lagoon		zer storage		ther (specifi	
	ewer lines 6 Seepage		9 Feedvar			ticide storage		mor (opcon)	, 20.011)
•	. •	, bu	5 1 00 <b>0yu</b> .		How mai	•			
Direction from well? FROM TO		LITHOLOGIC LO	iG	FRC			LUGGING II	NTERVALS	
0.0 1.0	Concrete								
1.0 4.0	FILL: Dark Gr	av Lean to Fa	t Clav With	Rubble					
4.0 5.5	Brown Silty Fi								
5.5 17.0	Brown Fine to								
17.0 29.5	Brown Fine to		lith Gravel						
	+								
						· · · · · · · · · · · · · · · · · · ·			
	+								
	-								
1	1								· · · · · · · · · · · · · · · · · · ·
	OR LANDOWNER'S		I: This water we	ell was 🕡co	nstructed, (2) reco	nstructed, or (3)	plugged und	ler my juriso	liction and was
completed on (mo/da	ay/year)	09/17/91			and this reco				belief. Kansas
Vater Well Contract	or's License No	416		er Well Recor	d was completed	on (mo/day/yr) 🄏	PL9-9-	¥, :	
inder the business	name of Terracon	Consultants	SC, Inc.		by (signat	ure)	Awe t	MIN	<i></i> .
	e typewriter or ball point pen. onment, Bureau of Water, Top								as Department