

1 LOCATION OF WATER WELL: Fraction NW 1/4 NW 1/4 NE 1/4 Section Number 13 Township Number T 27 S Range Number R 1 E
County: SEDGWICK

Distance and direction from nearest town or city street address of well if located within city?
1324 PERTH COURT WICHITA KANSAS
FRANK ARSAMIT 67208
404 N BROADVIEW WICHITA KS

2 WATER WELL OWNER: FRANK ARSAMIT
RR#, St. Address, Box # :
City, State, ZIP Code :
Board of Agriculture, Division of Water Resources
Application Number: NONE

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N	
NW	NE
SW	SE
S	

1 Mile

4 DEPTH OF COMPLETED WELL: 7.5 ft. ELEVATION: 1302 FT. NONE
Depth(s) Groundwater Encountered 1 ft. FROM BASEMENT
WELL'S STATIC WATER LEVEL 1 ft. below ground surface measured on mo/day/yr
Pump test data: Well water was NA ft. after NA hours pumping NA gpm
Est. Yield 2 gpm: Well water was NA ft. after NA hours pumping NA gpm
Bore Hole Diameter: 2 in. to NA ft., and NA in. to NA ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
Blank casing diameter 3 in. to 2.5 ft., Dia 1.59 in. to 2.09 ft., Dia
Casing height above land surface 12 in., weight 1.59 lbs./ft. Wall thickness or gauge No. 2.09
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 1.5 ft. to 7.5 ft., From NA ft. to NA ft.
GRAVEL PACK INTERVALS: From NONE ft. to NA ft., From NA ft. to NA ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 0 ft. to 1 ft., From NA ft. to NA ft.
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
Direction from well? SE How many feet? 20

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2.5	SAND MED - TAN			
2.5	3.5	CLAY YELLOWISH			
3.5	6.5	SAND MED TAN			
6.5	7.5	CLAY - YELLOW GREEN			
7.5		ROCK - BROWN -			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-4-81 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 104 This Water Well Record was completed on (mo/day/yr) 12-27-81 under the business name of BEARDEN PUMP & WELL by (signature) Chris Bearden
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T 27 R 1
SEC. 13
NE 1/4 NW 1/4 NE 1/4