1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Po	nge Number
		MB C				, Ka	110
Sedgwick Distance and direction from percent form or city et	NE 1/4	NE 1/4 S	W 1/4	26	т 27 s	R	1E _{E/W}
Distance and direction from nearest town or city street address of well if located within city?							
3700 E. Lincoln		A, Kansas					
2 WATER WELL OWNER: ST. MARY'S CONVENT							
RR#, ST. ADRESS, BOX#: 3700 E. Lincoln Board of Agriculture, Diviviou of Water Resource							ater Kesource
CITY, STATE, ZIP CODE: Wichi				Application Number:			
3 LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:	DEPTH OF COX		96		EVATION:		
N. N.	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3	ft.
	ELL'S STATIC W			BELOW LAND SU	RFACE MEASURED ON mo/d	ay/yr 08/2	25/1994
NWNE	Pump test	data: Well w	ater was	ft.	after hour	s pumping	gpm
Les Es	t. Yleld	gpm: Well w	ater was	ft.	after hours	s pumping	gpm
	re Hole Diameter		to	ft.	and	in. to	ft.
= " X E w	ELL WATER 75-1	E USED AS: 5	Public water	r supply	8 Air conditioning	11 Injection w	ell
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						cify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring weli							
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR)	6 Asbestos-Cemen	t 9	Other (Specify b	•			
2 PVC 4 ABS		7 Fiberglass				Threaded	x
Blank casing Diameter 6 in	. to	ft., Dia	in.	to	ft., Dia	in. to	ft.
Casing height above land surface 36	in. ,	weight			Wall thickness or gauge N		
TYPE OF SCREEN OR PERFORATION	···- -g	7	PVC	10 Asbesto			
1 Steel 3 Stainless Steel	5 Fiberglass	5 Fiberglass 8 RMP (SR)			specify)		
2 Brass 4 Galvanized steel	6 Concrete tile	9	ABS	12 None w	sed (open hole)		
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped			8 Saw cut 11 None (open hole)		
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched		••			10 Other (specify)		
CORPER BEREAR MANAGEMENT A		7 Torch cut					•
SCREEN-PERFORATION INTERVALS: from		ft. to		ft., Froш		ft. to	ft.
from		ft. to		ft., Fron	·-	N. to	ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., From		ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cem				ft., Fron	n 4 Other	ft. to	ft.
		ement grout				_	
What is the nearest source of possible co	t. to 8	ft. From	ft.	to 10 Livesto	ft. From	ft. to 14 Abandon w	ft.
1 Septic tank 4 Lateral lines				11 Fuel st	•		
		8 Sewage lagoon		12 Fertilizer storage		15 Oil well/Ga 16 Other (spe	
2 Cess poor					laida etemana	` -	* '
1.01						irent	
Direction from well? FROM TO LIT		FROM	то	How many feet?	UGGING INTERVALS		
	HOLOGIC LOG		0		surface clay		lts
			2		cement grout		
			8		bentonite ho		A 8
	*	*****	40		chlorinated		gravel
			130	120	outof The Ced	Sand and	. Armaer
	Said Whendrood.						
		,	 	1			
			<u> </u>	 			
			 	 			
		- A - MARIN		 		*	
			+				
			 	1			
			1	 			
			 				
			1	 			
			L				
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)							
Well Contractor's License No236							
T	36	This Water Well Re	cord was co	ompleted on (m	ιο/day/yr)Ωβ	8/26/94	
Under the business name ofHax	36	This Water Well Re	cord was co	ompleted on (m	no/day/yr)Ω <i>!</i> nature)	8/26/94 Freder	************