

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number	
County: Sedgwick		SW ¼ SW ¼ NW ¼	30		T 27 S	R 1 EW	
Distance and direction from nearest town or city street address of well if located within city? 851 South Meridian, Wichita, Kansas							
2 WATER WELL OWNER:		Town & Country Markets P.O. Box 17087 Wichita, Kansas 67217			01948024 MW-4 Board of Agriculture, Division of Water Resources Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:							
4 DEPTH OF COMPLETED WELL. 18.5 ft. ELEVATION: Approx. 1300.0							
Depth(s) Groundwater Encountered 1. 13.0 ft. 2. . ft. 3. . ft.							
WELL'S STATIC WATER LEVEL 13.35 ft. below land surface measured on mo/day/yr 09/29/94							
Pump test data: Well water was . ft. after . hours pumping . gpm							
Est. Yield N/A gpm: Well water was . ft. after . hours pumping . gpm							
Bore Hole Diameter 8.25 in. to 18.5 ft., and . in. to . ft.							
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only ⑩ Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes..... No X ; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped Welded Threaded X					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile					
② PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)					
Blank casing diameter . 2 . in. to . 8.5 . ft., Dia . in. to . ft., Dia . in. to . ft.		7 Fiberglass					
Casing height above land surface . -3 . in., weight . lbs./ft. Wall thickness or gauge No. Schedule 40							
TYPE OF SCREEN OR PERFORATION MATERIAL:		⑦ PVC 10 Asbestos-cement					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify) .					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
1 Continuous slot ③ Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) .							
SCREEN-PERFORATED INTERVALS: From . 8.5 . ft. to . 18.5 . ft., From . ft. to . ft.							
GRAVEL PACK INTERVALS: From . 6.5 . ft. to . 18.5 . ft., From . ft. to . ft.							
6 GROUT MATERIAL: ① Neat cement 2 Cement grout ③ Bentonite 4 Other .							
Grout Intervals: From . 0 . ft. to . 4.5 . ft., From . 4.5 . ft. to . 6.5 . ft., From . ft. to . ft.							
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage ⑬ Other (specify below) UST							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well?		How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS		
0.0	1.0	Brown Silty Sand					
1.0	8.5	Brown, Silty Fat Clay					
8.5	13.0	Gray, Silty Fat Clay					
13.0	18.5	Gray Silty Sand					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 09/07/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 09/27/94 by signature Steve Kischner under the business name of Terracon Consultants, Inc.							

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.