1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number	
Fodowsłak	NE	C14 C1			1		
Sedgwick	NE 1/4	SW 1/4 S	E 1/4	7	T 27 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?							
1823 Weaver Wichita, Kansas							
2 WATER WELL OWNER: ADCOCH	K, Bert						
	leaver				Board of Agriculture, Di	ivivsion of Water Resource	
	ta, Kansa	s			Application Number	r:	
3 LOCATE WELL'S LOCATION WITH 4	DEPTH OF COL	TELEPED WELL	36	ft. ELI	EVATION:		
AN "Y" IN SECTION BOY:	Depth(s) groundw		1	ft.	2 ft.	3 ft.	
	, .						
	ELL'S STATIC W			. BELOW LAND SU	RFACE MEASURED ON mo/day/yr	10/26/1994	
NE	Pump tes	t data: Well wa	ater was	ft.	after hours pum	ping gpm	
Est.	. Yield	gpm: Well w	ater was	ft.	after hours pum	ping gpm	
E Bor	e Hole Diameter	_ in. t	o	ft.	and in.	to ft.	
= "	LL WATER TO	E USED AS: 5	Public wate	r supply	8 Air conditioning 11 In	njection well	
	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12 C	Other (Specify below)	
Sw X	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well		
	-				•	o/dov/vr comple was	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR)		6 Asbestos-Cement	, 9	Other (Specify b	•	Velded	
2 PVC 4 ABS		7 Fiberglass			T	hreaded <b>X</b>	
Blank casing Diameter 6 in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 36	<b>in.</b> ,	weight		lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION	N MATERIAL:	•	7	PVC	10 Asbestos-ceme	ent	
1 Steel 3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specify	)	
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPENIN	5 Compo	d www.no.d		8 Saw cut	11 None (open hole)		
1 Continous slot 3 Mill slot		5 Gauzed wrapped 6 Wire wrapped			9 Drilled holes	11 i one (open noie)	
5 Min slot		••					
, F=	7 Torch	cut		10 Other (specify)			
SCREEN-PERFORATION INTERVALS	S: from	ft. t	to	ft., From	ft. to	ft.	
	from	ft. 1	to	ft., Fron	ft. to	ft.	
GRAVEL PACK INTERVAL	S: from	ft.	to	ft., Fron	n ft. to	ft.	
	from	ft.	to	ft., Fron	n ft. to	ft.	
6 GROUT MATERIAL: 1 Neat ceme	ent 2 C	Cement grout	3 Be	ntonite	4 Other		
Grout Intervals: From O ft.	. to 6	ft. From	ft.	to	ft. From	ft. to ft.	
What is the nearest source of possible con	tamination:			10 Livesto	,	bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel st	040.50	Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertili		16 Other (specify below)	
13 Insecticide storage					valer (speerly below)		
	HOLOGIC LOG		FROM	то	How many feet? 12 PLUGGING INTER	DVALS	
	LODGIC LOG		0		cement grout	MLO	
					bentonite hole	~1e	
		****	6				
			20	36	chlorinated san	u and gravel	
			ļ				
		-					
				+ +	177.1	***************************************	
<del></del>			L				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)							
Well Contractor's License No 2.	36	This Water Well Red	cord was c	ompleted on (m	o/day/yr)10./.25	3/94	
Under the business name of Harp Well & Pump Service, Inc. by (signature)							
~					Jane F	rederick	
I					0		