MW-4	2011067	WATE	R WELL REC	ORD For	m WWC-5	KSA 82a-				
1 LOCATION OF W	TER WELL:	Fraction	SE v	(1)	Section	n Number	Township N	Number S	Range Nu	ımber E/W
Distance and disaction	from pograet town o	or city etreet a	ddress of well	if located wi	thin city?				1	
243 N. K	ock as land,	31. ET	31 3,0	SW.CM	Roudy	ioe's, l	Vichita			
2 WATER WELL O	NNER: Formerly	/ Merchui	nt Oil Co.	,Inc.	•	•				_
RR#, St. Address, B	0× # : 105 S. R. Wick	i dee wood	`	•				Agriculture, I on Number:	Division of Wate	r Hesource:
City, State, ZIP Code	LOCATION WITH 4	LEGIN OF C	OMPLETED V	veu 20		# FLEVAT				
AN "X" IN SECTION	N BOX:	enth(s) Ground	water Encount	ered . L	14	ft. 2		ft. 3		ft.
7	l vi	ELL'S STATIC	WATER LEV	EL 13.6	ن ft. bel	ow land surf	face measured o	n mo/day/yr	8/9/94	
NW	NE	Pump	p test data: V	Vell water w	as	ft. af	ter	. hours pu	mping	gpm
l ix	Es		•				ter			•
# W 1	4 E I	ore Hole Diame ELL WATER T			Public water		and		to	
-		1 Domestic	3 Feed				9 Dewatering	-	•	pelow)
sw	SE	2 Irrigation	4 Indus				0 Monitoring we			
↓ <u> </u>	l W	as a chemical/l	bacteriological	sample subr	mitted to Dep	artment? Ye	esNo	 ; If yes		<u> </u>
I	-	tted	- 111				ter Well Disinfect		No /	
5 TYPE OF BLANK	CASING USED: 3 RMP (SR)		5 Wrought in 6 Asbestos-		8 Concrete 9 Other (s	e tile pecify below	CASING JO		d Clamp ed	
1 Steel	4 ABS		7 Fiberglass		•	. ,	') 		aded	
		to	•						in. to	ft.
Casing height above	land surface. Flu	ish D	.in., weight	1703		Ibs./f	ft. Wall thickness	or gauge N	o. 1.13.4	
	OR PERFORATION N				7 PVC			sbestos-ceme		
1 Steel	3 Stainless st		5 Fiberglass 6 Concrete		8 RMP 9 ABS	(SR)		ther (specify) one used (or	on hole)	
2 Brass	4 Galvanized RATION OPE <u>NINGS</u>		6 Concrete	5 Gauzed v			8 Saw cut	one useu (or	11 None (ope	n hole)
1 Continuous s	7			6 Wire wra			9 Drilled holes	;	(- -	,
2 Louvered shu	itter 4 Key	punched		7 Torch cut	2.0		10 Other (speci	ify)		
SCREEN-PERFORA	TED INTERVALS:						n			
CDAVEL B	ACK INTERVALS:	From	a	ft. to		tt., Fron	n	π. 1	0	
GRAVEL	ACK INTERVALS.	From	. (ft. to 		ft., Fron		ft. 1		ft.
6 GROUT MATERIA	NL: 1 Neat cerr	nent	2 Cement gro	out	3 Benton		Other			
Grout Intervals: Fr	om ft.	to 9.	ft., Fro	m	ft. to		ft., From .			
	source of possible cor		7 04			<u> </u>	tock pens		bandoned water	r well
	1 Septic tank 4 Lateral lines		7 Pit privy8 Sewage lagoon			11 Fuel storage 12 Fertilizer storage			15 Oil well/Gas well 16 Other (specify below)	
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit			9 Feedyard			13 Insecticide storage				
Direction from well?	_	- p					ny feet? 2	D		
FROM TO		LITHOLOGIC	LOG		FROM	то	· F	PLUGGING I	NTERVALS	
0.0 8.0	Fill Glay	, debris								
8.0 12.0	Fill Clay	١٥١								
12.0 20.0	Juna, 3, 1									
			- All The							
										AA
	<u> </u>					Z (0) =====	andrugted (A)	pluces d	dor my juriodical	on and was
7 CONTRACTOR'S	OR LANDOWNER'S	CERTIFICAT	ION: This water	er well was	construct	eo (2) reco	nstructed, or (3) rd is true to the t	plugged und	per my jurisdicti nowledge and ba	un and was Nief Kansas
	W/Wearl A / 1				<i>.</i>	nu mis reco	iu is liue lo line l	Jeşi∪i,iny Kji	Civicade and be	mer. Nalibab
completed on (mo/da		521	Thio	Water Well				112111	18	
completed on (mo/da Water Well Contracto	or's License No	531 P	This	Water Well		completed of	on (mo/day/yr)	Clim	9	
completed on (mo/da Water Well Contractor under the business of INSTRUCTIONS: Use	or's License No	PLEASE PRESS F	FIRMLY and PRINT	clearly. Please	Record was	by (signat	ture) Juga the correct answers.	Send top three	copies to Kansas D	

A. Irwin contacted Don Taylor on 11-30-14 about forms being turned in late.