

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Sedgwick		NE ¼ NE ¼ NW ¼	36	T 27 S	R 1 EW
Distance and direction from nearest town or city street address of well if located within city? 5401-5515 East Harry (Village Shopping Center), Wichita, Kansas					
2 WATER WELL OWNER:				01958004	MW-9
RR#, St. Address, Box # :		4900 Main Street		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code :		Kansas City, Missouri 64112		Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 39.5 ft. ELEVATION: 1335' AMSL			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 13.6 ft. below land surface measured on mo/day/yr 02/22/95			
		Pump test data: Well water was N/A ft. after hours pumping gpm			
		Est. Yield N/A gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter . . 8.25 .in. to . . 39.5 .ft., andin. toft.			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	
(2) PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
			7 Fiberglass		Threaded X
Blank casing diameter . . 2 .in. to . . 9 .ft., Diain. toft., Diain. toft.					
Casing height above land surface . . -3 .in., weightlbs./ft. Wall thickness or gauge No. Schedule 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:		(7) PVC			
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
					12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped			
1 Continuous slot		(3) Mill slot	6 Wire wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	7 Torch cut	9 Drilled holes	
				10 Other (specify)	
SCREEN-PERFORATED INTERVALS:		From . . . 9.0 .ft. to . . 39.0 .ft., Fromft. toft.			
		Fromft. toft., Fromft. toft.			
GRAVEL PACK INTERVALS:		From . . . 7.0 .ft. to . . 39.5 .ft., Fromft. toft.			
		Fromft. toft., Fromft. toft.			
6 GROUT MATERIAL:		(1) Neat cement			
Grout Intervals: From . . . 0 .ft. to . . 5 .ft., From . . 5 .ft. to . . 7 .ft., Fromft. toft.		2 Cement grout			
		(3) Bentonite			
		4 Other			
What is the nearest source of possible contamination:		10 Livestock pens			
1 Septic tank		4 Lateral lines	7 Pit privy	11 Fuel storage	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0.0	0.2	Asphalt			
0.2	3.5	Dark Brown, Lean to Fat Clay			
3.5	13.5	Brown Fat Clay			
13.5	15.0	Brown, Sandy Fat Clay			
15.0	28.5	Brown Fat Clay			
28.5	30.0	Brown Fat Clay With Sand			
30.0	34.0	Brown Fat Clay			
34.0	38.0	Brown Shale			
38.0	39.5	Olive-Gray Shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 02/18/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 02-18-95 under the business name of Terracon Consultants, Inc. by (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					