1 LOCATION OF WATER WELL:			FRACTIO	N	Wate	r Well Recor	d Form WY	VC-5	KSA 82a-1212 Section Number	Township Number	Range Number
Sedgwick			SE	1/4	NW	1/4	SE 1	/ <b>4</b>	4	م م	15
Distance and direction frem nearest town or city street address of well if located within city?									3	T 21 S	R IE EW
						Kans	sas				
	TER WELL (	CONDIA									
	ST. ADRESS,	1100 2				eet				Board of Agriculture,	Divivsion of Water Resource
	, STATE, ZIP						67214 Application Number:				
	TE WELL'S I " IN SECTION	N POV.	DEPTH O				33		ft. ELI	EVATION:	
N Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.											
[			LL'S STAT	ΓIC WA	TER LE	VEL 1	2.96	FT. I	BELOW LAND SU	RFACE MEASURED ON mo/day/yr	05/01/1995
	NW	NE	Pur	np test d	ata:	Well	water was	3	ft.	after hours pur	nping gpın
a.	1	Est.	Yield		gpm:	Well	water was	s	ft.	after hours pur	nping gpm
Mile M	·	E Bore	Hole Dian	neter	12	in.	to 33		ft.	and in.	to ft.
-		WEI	LL WATE	R TO BE	USED	AS:	5 Public w	vater	supply	9	Injection well
	sw		1 Domestic	:	3 Feedle	ot	6 Oil field	l wate	er supply	9 Dewatering 17	Other (Specify below)
			2 Irrigation	n	4 Indust	trial	7 Lawn as	nd ga	rden only	10 Monitoring well	
1		Was	a chemical	l/bacteri	ological	sample si	ubmitted to	o Dep	partment? Yes	No X; If yes,	mo/day/yr sample was
S submitted Water Well Disinfected? Yes X No											
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped											
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded											
2 PVC	2	4 ABS			7 Fiber	glass			•		Threaded <b>X</b>
Blank ca	— Ising Diam	eter 6 in.	to 18	}	ft.,	Dia		in.	to	ft., Dia in.	to ft.
		ve land surface 24		in.,	,	weight 3	3.68			Wall thickness or gauge No.	.280
TYPE	OF SCREE	N OR PERFORATION	MATERI			•			PVC	10 Asbestos-cen	
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)											<b>y</b> )
2 Bras	5 <b>S</b>	4 Galvanized steel		6	Concre	ete tile		9 /	ABS	12 None used (c	pen hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes											
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCOPEN DEDECODATION INTERVALS											
		~							ft., Fron	_	
from GRAVEL PACK INTERVALS: from					ft. to				ft., Fron		ft.
}	GRAVI	EL PACK INTERVALS						ft., From			
from ft. to ft., From ft. to ft.  GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug											
	itervals:	_	to 14	2 Cei			_				
		t source of possible cont			ft. F	rom		ft. to	o 10 Livesto	ft. From 14	ft. to 16 ft.
1 Septi		4 Lateral line	•	7 Pit privy				11 Fuel st		Abandon water well	
•			<b>CO</b>	• •			000	12 Fertilizer storage		13	Oil well/Gas well
13 Innesticide etemps											
	_		lt		УГС	eedyard				rei	inery
FROM	n from wel		IOLOGIC	LOC			FRO	M	то	How many feet? PLUGGING INTE	PUALS
0	16	clay	OLOGIC	200			FRU	141		FLUGGING INT	ATALIS
16	25	fine to me	dium	Sand							
25	33	medium to								4.1.4	
	-	mowaum co	Curs	<u>a.</u>							
			19								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
								-			
									<del>                                     </del>		
									<del>                                     </del>		
_	<u> </u>								<u> </u>		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and											
was completed on (mo/day/year)											
Well Contractor's License No236											
Under	the busin	ess name ofHarp	™G'TT		gm	Serv	ice	.In	റ്റ by (sign	nature)	7 / 1
fane Frederick											