1 LOCATIO	ON OF WATE	R WELL:	FRACTION	Water Well Re	ecord Form WWC-	5 KSA 82a-1212 Section Number	Township Number	Range Number
ء ۲	edqwi	ck	SW 1/4	NE 1/4	SE 1/4	4	T 27 s	150
Distance and direction frem nearest town or city street address of well if located within city?								R IE EW
1100 East 21st Wichita, Kansas								
2 WATER WELL OWNER: COASTAL REFINERY								
RR#, ST. ADRESS, BOX#: 1100 East 21st Street Board of Agriculture, Divivsion of Water Resource								re, Divivsion of Water Resource
CITY, ST	TATE, ZIP CO		ita, Kans		67214 Application Number:			
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 34 ft. ELEVATION:								
AN "X" IN	SECTION BO	ox:	Depth(s) ground	water Encountered		ft.	2 ft.	3 ft.
			WELL'S STATIC V		14.42 F	T. BELOW LAND SU	RFACE MEASURED ON mo/day/	r 05/01/1995
	··-·· NW ··	NE	Pump te		ell water was			pumping gpm
<u> </u>			Est. Yield	91	ell water was	ft.		pumping gpm
MI W		i E	Bore Hole Diameter WELL WATER TO		to 34 5 Public wat	ft.		in. to ft. 11 Injection well
1 . 1		\times 11	1 Domestic	3 Feedlot	6 Oil field w			12 Other (Specify below)
	SW	SE	2 Irrigation	4 Industrial	7 Lawn and		10 Monitoring well	,, ,
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was								
S submitted Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped								Glued Clamped
1 Steel		3 RMP (SR)		6 Asbestos-Ce	ment	9 Other (Specify b	elow)	Welded
2 PVC	D'	4 ABS		7 Fiberglass				Threaded X
	ng Diamete	r 6 and surface 2	in. to 19	ft., Dia	in		,	n. to ft.
			4 in TION MATERIAL:	, weight	3.68	7 PVC	Wall thickness or gauge No. 10 Asbestos-e	
1 Steel		Stainless Steel		5 Fiberglass		8 RMP (SR)	11 other (spe	ecify)
2 Brass	4	Galvanized steel	l	6 Concrete tile		9 ABS	12 None used	(open hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 19 ft. to 34 ft., From ft. to ft.								
			from		ft. to	ft., Fron	n ft.	to ft.
GRAVEL PACK INTERVALS: from 16				6	ft. to 34 ft., Fr			to ft.
from ft. to ft., F 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite						ft., Fron		to ft.
			_	ft. From				te hole plug
Grout Intervals: From 4 ft. to 14 ft. What is the nearest source of possible contamination:					ft. to ft. Fr 10 Livestock pens		ft. From 14 ock pens	ft. to 16 ft. 14 Abandon water well
1 Septic tank 4 Lateral lines				7 Pit priv	7 Pit privy 11 Fuel stor			
2 Sewer lines 5 Cess pool				8 Sewage l			tilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage refinery								
Direction from well? How many feet?								
FROM 1	TO 7	lay	LITHOLOGIC LOG		FROM	то	PLUGGING IN	TERVALS
			medium sar	1đ				
			o coarse					
\vdash					.,			
		11 11 11 11 11 11 11 11 11 11 11 11 11					- Louis - Loui	
		***					444	
		www.kodtor						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
	pleted on	(mo/day/year)	05/01/	1995	and this re	cord is true to th	e best of my knowledge	and belief. Kansas Water
Well Con	npleted on ntractor's l	(mo/day/year) License No	05/01/ 236	1995 This Water Wel	and this re	cord is true to the	ne best of my knowledge a no/day/yr)Ω5	and belief. Kansas Water
Well Con	npleted on ntractor's l	(mo/day/year) License No	05/01/	1995 This Water Wel	and this re	cord is true to the	ne best of my knowledge a no/day/yr)	and belief. Kansas Water