1 LOCATION O	F WATER WELL:	FRACTION	Water Well Recor	dForm WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
L Sec	lgwick	SE 1/4	NW 1/4 I	VE 1/4	9	• • • • • • • • • • • • • • • • • • • •	177
Distance and direction frem nearest town or city street address of well if loc				NE 1/7	9	т 27 s	R 1E E/W
1100 East 21st Street Wichita, Kansas 2 WATER WELL OWNER: COASTAL REFINERY							
	COMDI	AL REFINE					
1		East 21st			Board of Agriculture, Divivsion of Water Resource		
	E, ZIP CODE: Wichi	ta, Kansa			67214	Application Number	r:
3 LOCATE WEL	L'S LOCATION WITH 4		MPLETED WELL	33	ft. EL	EVATION:	
A. A. INSEA	N N	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.
		ELL'S STATIC W	- ··	4.68 FT	BELOW LAND SU	RFACE MEASURED ON mo/day/yr	04/17/1995
,	NE NE	Pump tes	t data: Well	water was	ft.	after hours pum	ping gpm
	Est	t. Yield	gpm: Well	water was	ft.	after hours pum	ping gpm
§ w —	F Bo	re Hole Diameter	20 in.	to 33	ft.	and in.	to ft.
= "	! ! ! !-!	ELL WATER TO	BE USED AS:	5 Public wate	r supply	8 Air conditioning 11 L	njection weli
1.1		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	•	Other (Specify below)
	swsæ	2 Irrigation	4 Industrial	7 Lawn and g	arden only		cov. Well
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
1 8 1 , ,							
submitted Water Well Disinfected? Yes X No TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Cloud Clemped							
1 Steel 2 page con-							
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded X							
2 PVC 4 ABS 7 Fiberglass Threaded							
Blank casing Diameter 14 in. to 15 ft., Dia in. to ft., Dia 14 in. to 30-33 ft.							
Casing height above land surface 24 in., weight 54.57 lbs./ft. Wall thickness or gauge No375							
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)							
2 Brass	4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	en hole)
SCREEN OR	PERFORATION OPENI	NG ARE:	5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)
1 Continous si				wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
/ Toren cut							
I, From							
		from		to	ft., Fron		ft.
GRAVEL PACK INTERVALS: from 10			ft. to 33 ft., From		•••	· ft.	
C CROUTE N	ATERIAL: 1 Neat cem	from		to	ft., From		ft.
6 GROUT M			Cement grout	3 Bei	ntonite	4 Other bentonite	hole plug
Grout Interval		t. to 8	ft. From	ft.		ft. From 8	ft. to 10 ft.
What is the nearest source of possible contamination:			7 Thu	10 Livestock pens 14 Abandon water weli			bandon water weli
1 Septic tank 4 Lateral lines						l storage 15 Oil well/Gas well	
2 Sewer lines	5 Cess poo				illizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage refinery							
Direction from well?							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
0 14.	5 tan clay						
14.5 30	fine to me	edium san	d and				
	fine grave						77.00
30 33	clay					100 V	9****
		V-1			1	714.0	
			- 1745 W		+ +		
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
		700			-	7,000	
							
 				+	+		
		- /1-d					
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
Was complet	ed on (mo/dav/vear)	04/17/	1995	and this rec	ord is true to th	ne best of my knowledge and l	belief. Kansas Water
Well Contrac	tor's License No 2	36	This Water Well R	ecord was co	empleted on (m	o/day/yr)05/08	3/95
Well Contractor's License No236							
						lane F	rederick.
