1 LOCATION OF WATER WELL:		ATER WELL:	FRACTION		HEI MEN MANAGE	TOTAL IT II CO.	Section Number	Township Number	Range Number	
Sedgwick		vick	NE 1/4	SW	1/4 S	SE 1/4	4	T 27 s	R 1E EW	
Distance and direction frem nearest town or city street address of well if located within city?										
1100 East 21st Street Wichita, Kansas										
ш	ATER WELL	00110411	L REFINE							
RRW, ST. ADRESS, BOX #: 1100 East 21st								Board of Agriculture, Divivsion of Water Resource		
	Y, STATE, ZIF		a, Kansa				67214	Application Number	er:	
	ATE WELL'S I	N POV.	DEPTH OF COM			30		EVATION:		
~``	I. III SEC 110	N ^D	Depth(s) groundwa			1	ft.	2 ft.	3 ft.	
		WE	LL'S STATIC WA				f. BELOW LAND SU	RFACE MEASURED ON mo/day/yr	04/18/1995	
	NW	NE	Pump test	data:		water was	ft.	after hours punt	nping gpm	
<u> </u>		1 1 1	Yield	gpm:		water was	ft.	after hours pum	iping gpm	
M M	v		e Hole Diameter	20		to 30	ft.	and in.	to ft.	
_		!!!	LL WATER TO B			5 Public wate		•	injection well	
1	sw		1 Domestic	3 Feed		6 Oil field wa		•	Other (Specify below)	
		1 ' !	2 Irrigation	4 Indu		7 Lawn and g	•		cov. Well	
+		e i	s a chemical/bacte	riologica	l sampie sul	bmitted to D	-		no/day/yr sampie was	
	TT OF CL	sub	bmitted					ter Well Disinfected? Yes		
		ASING USED:			ought iron	_	8 Concrete tile	_	Hued Clamped	
1 Ste	-	3 RMP (SR)			estos-Cemen	it 9	9 Other (Specify b	•	Welded X	
2 PV	_	4 ABS		7 Fiber	rglass			Т	Threaded	
I	asing Diam		to 15	ft.,	Dia	in.		ft., Dia 14 in.	to 27-30 ft.	
-	•	ve land surface 24	in.,		weight 54			Wall thickness or gauge No. 10 Asbestos-ceme	.375	
I		EN OR PERFORATION	(MATERIAL:	5 Fiber	-mlaeg		7 PVC 8 RMP (SR)			
1 Ste		3 Stainless Steel		6 Concr	-			11 other (specify	•	
		4 Galvanized steel		6 Conc.			9 ABS	12 None used (o) 8 Saw cut	•	
		RFORATION OPENING	G ARE:			ed wrapped			11 None (open hole)	
	inous slot	3 Mill slot	_			wrapped		9 Drilled holes		
1	ered shutte	, , p			7 Torch	cut		10 Other (specify)		
SCREE	N-PERFO	RATION INTERVALS:	: from 15		ft.	to 27	ft., From	n ft. to	ft.	
			from		ft.	to	ft., From	n ft. to	ft.	
GRAVEL PACK INTERVALS: from 15					ft. to 30		ft., Fron	m ft. to	ft.	
			from				ft., Fron		. ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										
	intervals:	_	to 13	ft.	From	ft.		ft. From 13	ft. to 15 ft.	
	What is the nearest source of possible contamination:				7 M4 - 1-		10 Livesto		Abandon water well	
1 ^	1 Septic tank 4 Lateral lines			7 Pit privy			11 Fuel st	130	Oil well/Gas well	
	er lines	5 Cess pool		8 Sewage lagoon				1.11	Other (specify below)	
i .	ertight sew		it	9 F	Feedyard		13 пвеси	refi	nery	
Direction from well? How many feet?										
FROM O	15		HOLOGIC LOG			FROM	ТО	PLUGGING INTE	RVALS	
15	27	tan clay	31 com	3 20	4				11 11 11 11 11 11 11 11 11 11 11 11 11	
13	41	fine to med		1 and	3					
27	30		<u> </u>							
4 /	130	clay								
	1					+	+			
							 			
								777478	VIII.	
								WINDS		
							-	1777		
	+									
	-					+				
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)Ω4/18/1995										
was c	ompleted	on (mo/day/year)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	"צ׳צ׳צ"		and this rec	cord is true to th	ie best of my knowledge and	belief. Kansas Water	
Well	Contractor	''s License No ness name of 	2 [[ew	This Wa	ler Well Re	cord was c	ompleted on (m	no/day/yr)Ω5 / Ω	Ø./Z.Q	
Unaer	' the busin	ess name of	RA	K.MIND.	824.x.	.C.X.,	ጨፍ by (sign	ature)	5	
ĺ								Jane F	rederick	