1 LOCATION OF WATER WELL:			FRACTION	Water Well Rec	ord Form WWC-	Section Number	Township Number	Range Number	
Sedgwick		SE 1/4	SW 1/4	SE 1/4	4	T 27 s	1 17		
Distance and direction from nearest town or city street address of well if located within city?									
1100 East 21st Street Wichita, Kansas									
	ATER WELL		L REFINE		<u>lla, Na</u>	шъаъ			
RR#, ST. ADRESS, BOX #: 1100 East 21st Street Board of Agriculture, Divivision of Water Resource									
CITY, STATE, ZIP CODE: Wichita, Kansas 67214 Application Number:								er:	
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 35 ft. ELEVATION:									
AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.									
1 1		WE	LL'S STATIC W	ATER LEVEL	L4.97 FT	. BELOW LAND SURI	FACE MEASURED ON mo/day/yr	04/19/1995	
	NW-	NE.	Pump test	data: Well	water was	ft. a	fter hours pur	nping gpm	
<u>.</u>		Est.	Yield	gpm: Wel	l water was	ft. a	fter hours pur	nping gpm	
1Mile	v	1 ! [2]	e Hole Diameter	20 in.	to 35	ft.	and in.	to ft.	
			LL WATER TO E		5 Public wate		•	Injection well	
1	5W	SE	1 Domestic	3 Feedlot 4 Industrial	6 Oil field wa 7 Lawn and g		· ·	Other (Specify below)	
1 1			2 Irrigation		•	•		cov. Well	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes Y No									
5 TYPE OF CASING LISED.									
1 Steel 2 DATE (CD)									
2 PVC 4 ABS 7 Fiberglass 9 Other (Specify below) Welded X Threaded									
Blank casing Diameter 14 in. to 15 ft., Dia in. to ft., Dia 14 in. to 32-35 ft.									
Casing height above land surface 24 in., weight 54.57 lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Bra		4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (o	pen hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 15 ft. to 32 ft., From ft. to ft.									
from				-	ft. to	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 12						ft., From	ft. to	ft.	
from ft. to ft., From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Crowt Intervals. From A									
What is the nearest source of possible contamination:					10 Livestocl	ft. From 10 k pens 147	ft. to 12 ft. Abandon water well		
1 Septic tank 4 Lateral lines			es	7 Pit privy 11 Fu		11 Fuel stor			
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilize	r storage 16	16 Other (specify below)	
3 Wate	rtight sew	er lines — 6 S ee page pi	it	9 Feedyard	9 Feedyard 13 Insec		cticide storage refinery		
Direction from well? How many feet?								•	
FROM			IOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
0 14	14	tan clay							
* *	32	fine to co	arse sand	and					
32	35	gravel clay				 			
-		~+ ~ 1	•						
						1 1	******	The state of the s	
						1			
							Mary Approximation Accounts		
	ļ			**************************************		1			
	<u> </u>					1			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Jane Frederick									