LICCA	TION OF W	TER WELL:	FRACTION	W	ater Well Recor	rd Form WWC-		T		
سالا				4			Section Number	Township Number	Range Number	
	Sedgy			1/4 SW		SE 1/4	4	<u>τ 27 s</u>	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?										
1100 East 21st Street Wichita, Kansas										
2 WA	TER WELL (OWNER: COAS	TAL REF	INERY						
RR#,	ST. ADRESS,	BOX#: 1100	East 21	lst Str	reet			Board of Agriculture, D	tvivsion of Water Resource	
CITY	CITY, STATE, ZIP CODE: Wichita, Kansas						67214	Application Number:		
			DEPTH OF	COMPLETE	ED WELL	30	ft. EL	EVATION:		
AN "X	' IN SECTIO	N BOX:	Depth(s) gro	undwater End	ountered	1	ft.	2 ft.	3 ft.	
1		, I	WELL'S STAT	IC WATER L	EVEL 1	4.02 F	T. BELOW LAND SU	URFACE MEASURED ON mo/day/yr	04/19/1995	
	NW	NE	Pum	p test data:	Well	water was	ft.	after hours pum	ping gpm	
		- i - i - i - i - i - i - i - i - i - i	Est. Yield	gpm:	Well	water was	ft.	after hours pum	ping gpm	
M M		FE	Bore Hole Diam	eter 20	in.	to 30	ft.	and in.	to ft.	
= "			WELL WATER			5 Public water	er supply	8 Air conditioning 11 I	njection well	
	L	sae	1 Domestic	3 Fee	dlot	6 Oil field w	ater supply	9 Dewatering 12 (Other (Specify below)	
	Sw.		2 Irrigation	4 Indu	ıstrial	7 Lawn and	garden only	10 Monitoring well Re	cov. Well	
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was									
S submitted Water Well Disinfected? Yes X No										
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded X										
2 PVC	-	4 ABS			erglass		- Capacity	•	hreaded	
Casing height above land surface 24 in., weight 54.57 lbs./ft. Wall thickness or gauge No 375 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement										
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)										
2 Bras	is	4 Galvanized steel		6 Conc	rete tile		9 ABS	12 None used (or	·	
			NINC ADE.				- 1.20	8 Saw cut		
Scauze wrapped									11 None (open note)	
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes										
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREEN-PERFORATION INTERVALS: from 15 ft. to 27 ft., From ft. to ft.										
			from		ft	t. to	ft., Fro	m ft. to	ft.	
GRAVEL PACK INTERVALS: from 12				12	ft. to 30		ft., Fro	m ft. to	ft.	
from							ft., Fro		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										
Grout Intervals: From 0 ft. to 10 ft. From ft. to ft. From 10 ft. to 12 ft.										
What is the nearest source of possible contamination:							10 Livestock pens 14 Abandon water well			
1 Septic tank 4 Lateral lines								el storage 15 Oil well/Gas well		
13 Tennediation atomore							Other (specify below)			
5 valerugin sewer mies 6 Seepage pit 7 recuyard relinery										
Direction from well? How many feet?										
FROM	TO		ITHOLOGIC I	.OG		FROM	TO	PLUGGING INTE	RVALS	
0	11.5	clay			3					
11.5	41	fine to	coarse s	and an	<u>a</u>			4.7000 91	or a finished self to the	
2.2	20	gravel								
27	30	clay							1	
								1.640.00		
				***		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			and the second s	
7 CONTRACTORIS ON LANDOUNTERS CONTRACTORY. This waster well was (4) as a structed (6) and a structed (7) and										
ONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed,</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)										
was completed on (mo/day/year)										
Well C	ontractor									
		's License No	236	This Wa	ter Well R	Record was d	ompleted on (n	no/day/yr)Ω5./.Ω		
			236	This Wa	ter Well R	Record was d	ompleted on (n	no/day/yr)Q5./.Q nature)		