				. Wate	r Well Rec	ord For	m WWC-5	KSA 82a-1212						
1 LOCATION OF WATER WELL: FRACTION							Section Number	10mminup : tambés			Range Number			
Sedgwick		NW	1/4	SW	1/4	SE	1/4	4	т	27	s	R	<u>1E</u>	E/W
Distance and direction frem near			well if locat		•									
1100 East 2 WATER WELL OWNER:					<u>ichi</u>	<u>ta,</u>	Kan	sas						
RR#, ST. ADRESS, BOX #:	COAST	al Ker East 2			aet					Board o	of Agriculture, Di	vivsion of V	Vater Reso	штсе
CITY, STATE, ZIP CODE:							Application Number:							
3 LOCATE WELL'S LOCATIO		ta, Ka DEPTH O			WELL	,	37		LEVATION:					
AN "X" IN SECTION BOX:	୮	Depth(s) gr	oundwa	ter Enco	untered	1		ft.	2		ft.	3		ft.
	w	ELL'S STA			VEL :	13.3	8 FT	BELOW LAND S	URFACE MEAS	URED O	N mo/day/yr	04/	28/1	995
NW	.NE		mp test			l water		ft.	after		hours pum			gpm
ğ w		i. Yield re Hole Dia	meter	gpm: 12	Wel in.	ll water to	was 37	ft. ft.	after and		hours pum in.	ping to		gpm ft.
ž w		ELL WATE						r supply	8 Air condi	tioning		njection v	well	14.
1 Domestic			3 Feedle								ther (Sp	_	ow)	
2 Irrigation			4 Indust	trial	7 Law	vn and g	arden only	rden only 10 Monitoring well						
Was a chemical/bacteric					ological sample submitted to Department? Yes No 🗶 ; If yes, mo/day/yr sample was									was
5 TYPE OF CASING U						ater Well Disi				No				
1 Steel 3 RMP (SR)									Concrete tile CASING JOINTS: Glued Clamp Other (Specify below) Welded					ed
-	ABS			7 Fiber			,	omer (specify	DCIOW)			eiaea hreaded		x
Blank casing Diameter 6	in.	to 17	7	ft.,	Dia		in.	to	ft., D	ia	in.	to		t.
Casing helght above land	surface 24		in.,	-		3.68		lbs. / ft.	Wall thickne			••	.280	
TYPE OF SCREEN OR I	E Filhand	1			PVC	PVC 10 Asbestos-cement								
1 Steel 3 Stainless Steel				5 Flberg				RMP (SR)			ther (specify)			
2 Brass 4 Galvanized steel								ABS 12 I 8 Saw cut			None used (open hole)			hole)
SCREEN OR PERFORATION OPENING ARE: 1 Continues slot 3 Mill slot				5 Gauzed wrapped 6 Wire wrapped				8 Saw cut 11 None (open hole 2 Drilled holes					i noie)	
1 Continous slot 3 Mill slot 2 Louvered shutter 4 Key punched									10 Other (specify)					
SCREEN DEDECDATION INTERVALS.													ft.	
		fro				ft. to	• •	ft., Fro			ft. to ft. to			ft.
GRAVEL PACK INTERVALS: from 15			ft. to 37			37	ft., From			ft. to			ft.	
		fro	m			ft. to		ft., Fro			ft. to			ft.
6 GROUT MATERIAL:			2 Ce	ement gro	_		3 Bei	ntonite	4 Other	ben	tonite	hol	e pl	ug
Grout Intervals: From 4 ft. to 13 What is the nearest source of possible contamination:			ft. From			ft.	to ft. Fro 10 Livestock pens			n 13 ft. to 15 ft. i				
1 Septic tank 4 Lateral lines			7 Pit privy				11 Fuel storage			15 Oil well/Gas well				
2 Sewer lines 5 Cess pool			8 Sewage lagoon				12 Fertilizer storage			16 Other (specify below)				
3 Watertight sewer lines 6 Seepage plt				9 Feedyard				13 Insecticide storage			refinery			
Direction from well?					How many									
FROM TO Cla		HOLOGIC	LOG			-	FROM	TO		PLUGO	GING INTER	VALS		-
	ne to me	ad i um	sand	7										
	lium to										- W. A			
			·											
					-									
												A-11-1		

		\/~								· · · · ·				
		7												
7 CONTRACTOR'S on was completed on (mo	LANDOWNER'S C	ERTIFICATIO	N: This	water w	ell was	(1) <u>cor</u>	nstruct	ed, (2) reconst	ructed, or (3) plugg	jed under m	y jurisdi	iction a	nd Motor
Well Contractor's Lice	nse No2	36	T	his Wate	er Well	and t Record	ınıs rec I was c	ora is true to t ompleted on (n	mo/dav/vr)	y Kno	05/11	Jeller. R	vaii292	
Under the business na	me ofHar	p Well	&	P.ump	Ser	vice	,Ix	l.C by (sig	nature)					
										¥0	ane F	reder	ick	