1 LOCATION OF WATER WELL:			FRACTION	Water Well Recor	rd Form WWC-	Section Number	Township Number	Range Number
Sedgwick			SE 1/4	NE 1/4	SE 1/4	4	τ 27 s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?								
1100 East 21st Street Wichita, Kansas								
2 WATER WELL OWNER: COASTAL REFINERY								
RR#, ST. ADRESS, BOX#: 1100 East 21st Street Board of Agriculture, Divivision of Water								tvivsion of Water Resource
$\overline{}$, STATE, ZIF	CODE: Wichit	a, Kansa	as		67214	Application Number	r:
	TE WELL'S I	N DOV.		MPLETED WELL	35		VATION:	
Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.								
1 1			LL'S STATIC W Pump tes		1123		_	04/28/1995
NE							fter hours pum ifter hours pum	
Pore Hole Diameter 12 to 25						ft.	and in.	iping gpm to ft.
∑ w		1 ; 1-1			5 Public water			njection well
1							Other (Specify below)	
sw SE 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well								
		{	Ü	eriological sample s	ubmitted to D	epartment? Yes	No ★; If yes, n	no/day/yr sample was
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Stee	el	3 RMP (SR)		6 Asbestos-Ceme		Other (Specify be	low) V	Velded
2 PV	C	4 ABS		7 Fiberglass			7	Threaded X
Blank casing Diameter 6 in. to 15 ft., Dia 6 in. to 25-30 ft., Dia in. to ft.								
Casing height above land surface 24 in., weight 3.68 lbs./ft. Wall thickness or gauge No280								
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Ste		3 Stainless Steel		5 Fiberglass		8 RMP (SR)	11 other (specify	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
ı		RFORATION OPENIN	G ARE:		zed wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 15 ft. to 25 ft., From ft. to ft.								
from 30 GRAVEL PACK INTERVALS: from 13				ft. to 35		ft., From ft., From	ft. to	ft.
	GRAV	EL PACK INTERVALS	s: from 1; from		ft. to 35 ft., Fro ft. to ft., Fro		ft. to	ft. ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
Grout Intervals: From 4 ft. to 11 ft. From ft. to ft. From 11 ft. to 13 ft.								
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandon water w								
1 Septic tank 4 Lateral line			es	7 Pit privy		11 Fuel sto	rage 150	Oil well/Gas well
2 Sewer lines 5 Cess pool				• •			tilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage plt 9 Feedyard 13 Insecticide storage refinery								
Direction from well? How many feet?								
FROM			IOLOGIC LOG	*******	FROM	ТО	PLUGGING INTE	RVALS
0	14	clay						
14	21	fine sand						
21 24	24 30	medium san	<u>a</u>					
30	35	clay medium to					100 mg 1 m	
30	35	medium to	coarse s	and				
	†							
<u> </u>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)								
Under the business name of Harp Well & Pump Service, Inc. by (signature)								
Jane Frederick								