		WATE	R WELL RI	ECORD	Fo	orm WV	VC-5 KSA 82	2a-1212		MU	U-6	•	
LOCATION OF W		Fraction SE 1/4		1/	NW		Section Number 21	er Township	77		ange Nu 18		
ounty:	on from nearest town			vell if loc	cated v	<u>¼</u>   within c		T	21 S	<u> </u> R		_€W	
	319 E. Elm,	Chanute, I	Ks										
WATER WELL O	WNER:	a Comeral (	Store	C/0	Tau	Tohn	E00					_	
	lox # Johnson's	9250, Wic	pita P	C/O	uay 67	301II			Agriculture,		of Wate	r Resource:	
city, State, ZIP Cod	·								on Number:				
AN "X" IN SECTI	LOCATION WITH 4	DEPTH OF C	OMPLETE	D WELL		ب.	ft. ELEV	ATION:					
	N	Depth(s) Ground	water Enco	ountered	2 <sup>1</sup>	ス		. 2	π	3 / -	>>-9	۲tt.	
								urface measured o					
NW	NE	•						after					
	1 !   1	Est. field	gpm.	77611 V	to.	was je		, and	nours po	umping.		gpm	
w - <del>X</del> 1		WELL WATER T					water supply	8 Air conditionir					
i		1 Domestic		edlot								nelow)	
SW	SE	2 Irrigation		dustrial	7	Lawn a	and garden only	Dewatering Monitoring we	$=$ $m\omega$ .	6			
1 !		•			ole sub	mitted	to Department?	YesNo	. <b>X</b> ; If yes	s, mo/day	/yr samp	ale was sub	
<u> </u>		mitted						Vater Well Disinfec			No X	•	
TYPE OF BLANK	CASING USED:		5 Wrough	nt iron		8 C	oncrete tile	CASING J	OINTS: Glue	d ++	Clamp	ed	
1 Steel	3 RMP (SR	1)	6 Asbesto		ent	9 O	ther (specify bel	ow)	Weld	ded	····		
2)PVC	4 ABS	_	7 Fibergla										
lank casing diamet	er <b>2</b>	in. to	ft., I	Dia			n. to	ft., Dia		in. to .		🕳 ft.	
asing height above	land surface	<i>O</i>	in., weight	t	SCH	402	EAC lp:	s./ft. Wall thickness	or gauge N	۰			
YPE OF SCREEN	OR PERFORATION	I MATERIAL:				_	y <b>≯</b> vc		sbestos-cem				
1 Steel	1 Steel 3 Stainless steel			5 Fiberglass			RMP (SR)	11 Other (specify)					
2 Brass				6 Concrete tile 9 AE				· - · · · · · · · · · · · · · · · · · ·					
CREEN OR PERF	5 Gauzed wrapped 6 Wire wrapped				ed	8 Saw cut		11 No	ne (opei	n hole)			
1 Continuous s	_							9 Drilled holes					
2 Louvered sh		From	5		orch c	10-	# E	10 Other (spec					
	TED INTERVALS:							rom <u></u>					
SAMP.	PACK INTERVALS:	From. 4		ft to	o /	5	ft F	rom <u></u>	<u></u>	to			
G		From	_	ft. t		-	ft., Fi					ft.	
GROUT MATERI	ا زساA I Neat co	ement C	2 Cement	grout		(3)E	Bentonite , /	4 Other					
	rom D	ft. to <b>Z</b>	ft., F	From	2.		ft. to	ft., From .					
Vhat is the nearest	contamination:						estock pens	14 Abandoned water well					
1 Septic tank 4 Lateral lines			7 Pit privy				11 Fue	el storage	15 Oil well/Gas well				
2 Sewer lines	2 Sewer lines 5 Cess pool			8 Sewage lagoon				12 Fertilizer storage			(16) Other (specify below)		
3 Watertight sewer lines 6 Seepage pit			9 Feedyard			13 Ins	ecticide storage	Conta	minat	<u>ما د</u>	<b>.</b>		
Direction from well?		LITUOLOGIO	100					any feet?	PLUGGING			<u> </u>	
FROM TO		LITHOLOGIC	LUG			FRO	м то		LUGGING	IIN I ELV	1LO		
GL 1.00	Soil												
1.00 15.00	Silty Cla	av (CL)											
15.00 TD	End of Bo												
10.00													
												· · · · · · · · · · · · · · · · · · ·	
								Flush Mou	nt				
								waiver					
								<b> </b>					
								D.Taylor					
<u>, l</u>	<u></u>							10/24/					
	ODIANDOWNED	C OFFICIOATI	ON: This v	vater we	il was	(f) co	_	constructed or (3)	plugged up	der my i	مندم نام مندر	n and was	
CONTRACTOR'S	OH LANDOWNER	15 CENTIFICATI	ON. THIS V			100	nstructed, (2) re	constructed, or (o)	plugged ui	idei iliy j	urisaicuc	on and was	
ompleted on (mo/da	ay/year)						and this re	cord is true to the I					
ompleted on (mo/da							and this red was complete	cord is true to the I d on (mo/day/yr)	pest of my ki				
ompleted on (mo/da Vater Well Contract	ay/year) or's License No	585	TI	his Wate	er Wel	Recor	and this red d was complete by (sign	cord is true to the I d on (mo/day/yr) nature)	pest of my ki	Description	and be	lief. Kansas	