

1 LOCATION OF WATER WELL: Fraction $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section Number **27** Township Number T **27** S Range Number R **18** EW
 County: **Abosho**

Distance and direction from nearest town or city street address of well if located within city?
approximately 15 miles SE of downtown Chanute

2 WATER WELL OWNER: **City of Chanute**
 RR#, St. Address, Box #: **101 S. Lincoln, PO Box 907**
 City, State, ZIP Code: **Chanute, KS 66602**

Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N		
--NW--	--NE--	
W	X	E
--SW--	--SE--	
S		

4 DEPTH OF COMPLETED WELL **21.51** ft. ELEVATION:

Depth(s) Groundwater Encountered 1 **NA** ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL **14.66** ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Domestic (lawn & garden) **10 Monitoring well**

Was a chemical/bacteriological sample submitted to Department? Yes **No**; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Treated

Blank casing diameter **1.0** in. to **16.51** ft. Dia in. to ft. Dia in. to ft.
 Casing height above land surface **0.0** in., weight lbs./ft. Wall thickness or gauge No. **2CH40**

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify)
 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Mill slot 3 **Mill slot** 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) ft.
 11 None (open hole)

SCREEN-PERFORATED INTERVALS: From **16.51** ft. to **21.51** ft. From ft. to ft.
 From ft. to ft. From ft. to ft.
 GRAVEL PACK INTERVALS: From **14.51** ft. to **21.51** ft. From ft. to ft.
 From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 **Bentonite** 4 Other

Grout Intervals: From **0.5** ft. to **14.51** ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
Landfill

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		UNKNOWN	0.0	0.5	Cement
			0.5	14.51	Bentonite
		Direct Push Well	14.51	21.51	Sand

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) **constructed**, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **9-9-02** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **708** This Water Well Record was completed on (mo/day/yr) **10-28-02** under the business name of **Aquatera** by (signature) **Tom Parth**