			TER WELL REC	ORD	Form WWC-5	KSA 82a	-1212 ID I	No				
_	ION OF WAT		Fraction			Se	ction Number		er	Range Number		
	Neos ho		NE 14			1/4	17	T 27	s	R 18 €W		
Distance ar	nd direction f	rom nearest tov	wn or city street a	ddress	of well if located	within city?						
50	with of 1	Hickory St	and Nort	h of	Mulberry !	<i>s </i>						
2 WATER	WELL OW	NER: ' /45	h Grove Leme	M	•							
RR#, St. Ad	ddress, Box	# : 18 5 /	IN Santa Fe	Ave				Board of Agricul	ture, Div	sion of Water Resources		
City, State,	ZIP Code	<u>:</u>	lanute KS	6673				Application Nun	_			
LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF C	OMPLE	TED WELL	8,5	ft. ELEV	ATION: 946,5	8			
	SECTION		Depth(s) Groun					ft. 2				
	N											
	i	i								nping gpm		
	-NW	- NE	WELL WATER			Public water supply Oil field water supply		aπer n 8 Air conditioning	12 Other (Specify below)			
	1	'	1 Domestic					9 Dewatering				
w		— ¦	2 Irrigation	4 1	ndustrial 7	Domestic (la	wn & garden)	Monitoring well				
		i x										
	-sw -	- SE	Was a chemica	l/bacteri	ological sample	submitted to	Department?	Yes; If	ves, mo	day/yrs sample was sub-		
	1	1	mitted		9			Vater Well Disinfected?		No		
	1	1										
5 TYPE (OF BLANK C	ASING USED:		5 Wro	ught iron	8 Conc	rete tile	CASING JOINTS	S: Glued	Clamped		
1_Stee	el	3 RMP (S					9 Other (specify below)			Welded		
2 PVC	;	4 ABS	,	7 Fibe						ed		
Blank casir	ng diameter	2								in. toft.		
Casing hei	ght above la	nd surface	2.5	in.,	weight			lbs./ft. Wall thickness of	or guage	No. Sch 40		
TYPE OF	SCREEN OF	RPERFORATIO					_	10 Asbesto				
					Fiberglass 8 RMP (SR) Concrete tile 9 ABS			11 Other (Specify)				
2 Bras				6 Cor						•		
		RATION OPENI				zed wrapped		8 Saw cut		11 None (open hole)		
	tinuous slot		Mill slot		7 Torc	wrapped		9 Drilled holes		ft.		
	vered shutte		Key punched	1		_						
SCREEN-	PERFORATE	ED INTERVALS		1,5		<i>8</i> 2	ft., From	m	ft. to	ft.		
(GRAVEL PAG	CK INTERVALS	From 3	. 5	ft to	٠. ٢	ft. From	Пn	II. IO	ft.		
·		0141141141414	From		ft. to		ft., Froi	n	ft. to			
		\sim										
_	JT MATERIA	L: Kea	at cement	_ ^{2 C}	ement grout	_ & Bei	ntonite	_4 Other	•••••			
Grout Inter				?	ft., From	ft.				ft. toft.		
What is the nearest source of possible contamination:							10 Livestock pens		14 Abandoned water well			
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well				
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit			8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)					
	•	er lines 6 See	page pit		9 Feedyar	ď		cticide storage	•••••			
Direction fr						_		any feet?				
FROM	то		LITHOLOGIC			FROM	ТО	PLUGG	ING INT	ERVALS		
0_	_ <u>Z</u>	Brown S	Silty Clay Brown Sill				1					
2	5	Blackish.	-Brown Si'll	4 C/1	? y		-					
_5	8,5	Gray C	/ay									
		,										
							ļ					
		Well completed & sur 4"x5" Steel protective Concrete parl. MW-			with							
					rand							
			•									
7 CONTR	ACTOR'S	R LANDOWNE	ER'S CERTIFICA	TION: T	his water well v	vas (1) onst	ructed. (2) re	constructed, or (3) pluge	ged unde	r my jurisdiction and was		
completed	on (mo/dav/v	rear)	-27-06			المرابعة الم	and this	record is true to the best	of my kno	wledge and belief. Kansas		
										106		
	usiness nan		cthorse					(signature)		K		
		10.00	v r resign	7	-			7.000		-		

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Mansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.