WATER WELL RE		Form WWC-				r Resources; App. No. L		
1 LOCATION OF WA	TER WELL:	Fraction NE 1/4 NV 1/4 N	C	Section Nur				
Distance and direction	from nearest town or c	ity street address of we	ll if G	lobal Posi	itioning	Systems (decimal deg		
located within city?	Plana San	atta o . m	I	_atitude:				
located within city? Please See attached map					Longitude:			
2 WATER WELL OWNER: Conoco Phillips RR#, St. Address, Box # : 1234 Phillips Building			I	Elevation:				
RR#, St. Address, Bo	x# : 1234 Phil	llips Building	, I	Datum: _				
City, State, ZIP Code	Bartlesy	1111e OK 746	004 I	Data Colle	ection I	Method:		
3 LOCATE WELL'S	4 DEPTH OF COM	IPLETED WELL	<u>ე</u> ვ		ft.			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
WITH AN "X" IN								
SECTION BOX:	X: WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
N	Pump test data: Well water wasft. after							
Est. Yieldgpm: Well water was								
NW NE								
W E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yrs								
Sample was submitted								
S Sample was submitted								
	UCED. 5 W1	4 I 9 C			CACINI	G JOINTS: Glued	Clamad	
5 TYPE OF CASING		t Iron 8 Conc	rete tile : (specify l	ارسمامر	CASIN	J JOINTS: Glued	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
Blank casing diameter								
Casing height above land surface. 30 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 VC 9 ABS 11 Other (Specify)								
	lvanized Steal 6 Cor	crete tile 8 RM (SR) 10 A	sbestos-Ce	ement	12 None used (open	hole)	
SCREEN OR PERFORA			,			` *	•	
1 Continuous slot (3) Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: Fromft. to								
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Pentonite 4 Other								
Grout Intervals: Fr	om 2 ft. to	ft. From	f. f	t. to	f	t. From	ft. toft.	
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well								
Direction from well?				feet?				
FROM TO	LITHOLOGI		FROM	TO		PLUGGING INT	ERVALS	
0 23 (Brown Silty cla	y ·						
	T	•						
		113						
		,						
	70.000	· · · · · · · · · · · · · · · · · · ·				Monte		
					7			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under the business name of Below Ground Furface The by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top								
INSTRUCTIONS: Use type three copies to Kansas Depart								
785-296-5522. Send one	to WATER WELL OW	NER and retain one for	or your rec	ords. Fee	of \$5.	.00 for each constructe	d well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								