COCATION OF WATER WELL Fraction NE NE NE NE 20
All
Sand direction from nearest town or city street address of well if located within city?
5 N. Santa Fe, Chanute WATER WELL OWNER: Chandler Oil Company c/o KDHE ##, St. Address, Box # : 1000 SW Jackson St., Ste. 410 ##, State JP Code : Topeka, KS 66612 Depth(s) Groundwater Encountered 1 AN X INSECTION BOX: WELL'S STATIC WATER LEVEL 3.31 ft. below land surface measured on moldaylyr Depth(s) Groundwater Encountered 1 WELL'S STATIC WATER LEVEL 3.31 ft. below land surface measured on moldaylyr Depth(s) Groundwater Encountered 1 WELL'S STATIC WATER LEVEL 3.31 ft. below land surface measured on moldaylyr Depth(s) Groundwater Encountered 1 WELL WATER TO BE USED 55 ft. s Public water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify Dewater 12 Other (Specify Dewater 12 Other Specify Dewater 13 Other (Specify Dewater 14 Other 14 Other 15 Other Specify Dewater 14 Other 15 Other Specify Dewa
WATER WELL OWNER: Chandler Oil Company c/o KDHE #, State/ZIP Code
#, Sit Address, Box # 1000 SW Jackson St., Ste. 410 y, State, ZIP Code
Note
DEPTH OF COMPLETED WELL 14 ft. ELEVATION: 933.44 (TOC)
DEPTH OF COMPLETE DEVILL 14 ft. ELECATION 93.5.44 (TVCV)
WELL'S STATIC WATER LEVEL 3.3.1 ft. below land surface measured on moldarylyr 38/10/107 Pump test data: Well water was at ft. after hours pumpling gpm Sore Hole Diameter 8.25 in. to 14 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Sore Hole Diameter 8.25 in. to 14 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 8.25 in. to 14 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 8.25 in. to 14 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours ft. after hours ft. after was at a ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours ft. after Well Diameter 9 ft. after Mell Diameter 9 ft. after Mell Diameter 9 ft. after 9 ft. a
WELL'S STATIC WATER LEVEL 3.3.1 ft. below land surface measured on moldarylyr 38/10/107 Pump test data: Well water was at ft. after hours pumpling gpm Sore Hole Diameter 8.25 in. to 14 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Sore Hole Diameter 8.25 in. to 14 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 8.25 in. to 14 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 8.25 in. to 14 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Well water was 16 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours ft. after hours ft. after was at a ft. after hours pumpling gpm Governor Hole Diameter 9 ft. after hours ft. after Well Diameter 9 ft. after Mell Diameter 9 ft. after Mell Diameter 9 ft. after 9 ft. a
Est. Vield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8.25 in. to 14 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed for 6 Oil field water supply 10 Monitoring well 10 Honotroing well 10 Monitoring well 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if
Est. Vield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8.25 in. to 14 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed for 6 Oil field water supply 10 Monitoring well 10 Honotroing well 10 Monitoring well 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if yes, mo/day/yr sample was water Well Disinfected? Yes No X if
Bore Hole Diameter 8.25 in. to 14. ft. and water Supply 8 Air conditioning 11 Injection well 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 8 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 8 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 12 Iringation 4 Industrial 7 Lawn and garden (domestic) 10 Monttoring well 11 Montoring well 11 Monttoring well 12 Monttoring well 12 Monttoring well 12 Monttoring well 12 Other (specify) 11 Monttoring well 12 Other (specify) 11 Monttoring well 11 Monttoring well 11 Monttoring well 12 Other (specify) 11 Monttoring well 12 Other (specify) 11 Monttoring well 12 Monttoring well 12 Monttoring well 12 Monttoring well 13 Monttoring well 14 Monttoring well 14 Monttoring well 14 Monttoring well
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/daylyr sample was submitted Water Well Disinfected? Yes No X TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded Flush Threaded Flush
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/daylyr sample was submitted bubmitted to Department? Yes No X Water Well Disinfected? Yes No X No
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mol/daylyr sample was submitted Water Well Disinfected? Yes No X
TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tille CASING JOINTS: Glued Clamped
Steel 3 RMP (SR)
2 PVC
In. to I
In. to I
Asing height above land surface Flushmount in, weight 0.703 ibs./ft. Wall thickness or gauge No. SCH. 40
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass
CREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 4 ft. to 14 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 3 ft. to 14 ft. From ft. to ft. From ft. to ft. From ft. to ft. GROUT MATERIAL: 1 Neat cement 2 Cement grout rout Intervals From 1 ft. to 3 ft. From ft. to ft. Hat is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 1 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage rection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS O 0.4 Concrete O.4 2 Clay, medium brown
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
2 Louvered shutter
CREEN-PERFORATED INTERVALS: From
From ft. to ft. From
GRAVEL PACK INTERVALS: From 3 ft. to 14 ft. From ft. to ft.
From ft. to ft. From ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other rout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft.
rout Intervals From 1 ft. to 3 ft. From ft. to Ft. To ft. to ft. From ft. to ft. From ft. to ft. From ft. To ft. T
that is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 0.4 Concrete 0.4 2 Clay, medium brown
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage irrection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 0.4 Concrete 0.4 2 Clay, medium brown
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage irection from well? How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 0.4 Concrete 0.4 Clay, medium brown 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage irection from well? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 0.4 Concrete 0.4 2 Clay, medium brown
How many feet? How many feet? FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS Concrete Clay, medium brown Clay, medium brown Concrete Clay, medium brown Clay C
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 0.4 Concrete Clay, medium brown Clay, medium brown
0 0.4 Concrete 0.4 2 Clay, medium brown
0.4 2 Clay, medium brown
CONTRACTOR'S OR LANDOWNIER'S CERTIFICATION. This was allowed and the state of the s
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
ompleted on (mo/day/yr) 07/31/07 and this record is true to the best of my knowledge and belief. Kansas
Vater Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 08/20/07
nder the business name of Geotechnical Services Inc. by (signature)
INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.