WA	TER WELI	L RECORD	Form	WWC-	5 [Division of Wat	ter Resou	ırces: App. No.		
Coun	DV:	F WATER WELL: I Neosho	SE %	SW %	NW ½	21		Township Number T 27S	R 18F	
Dist	ance and directi	on from nearest town o	r city street	address o	f well if	Global Posi	tioning	System (decimal degr	ees. min. of 4 digits)	
located within city? 16 N Highland, Chanute Latitude: 37.68257 Longitude: 95.45020										
2 V	WATER WELL OWNER: KDHE-BER (Abandoned UST)						Elevation: RIM: 938.64, TOC: 938.42			
F	R#. St. Address	s. Box # : 1000 SV	V Jackson,	Suite 410	•	Datum:	WGS	84		
	City, State, ZIP	Code : Topeka	. KS 66612			Data Colle	ction M	ethod: legal survey		
1		L'S 4 DEPTH OF	COMPLE	TED WEI	-L	13 MW5		ft.		
1	LOCATON WITH AN "X"	IN Denth(s) Ground	water Enco	untered 1		141 44 3	ft 2	fr 3	6	
1	WITH AN "X" IN Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 SECTION BOX: WELL'S STATIC WATER LEVEL 8.39 ft. below land surface measured on mo/day/yr 3/3									
~	N Pump test data: Well water was ft. after hours pumping								ng gpm	
	Est. Yield gpm: Well water was ft. after hours pumping									
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								jection well	
w									er (Specify below)	
	SW — SE —									
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/s Sample was submitted Water Well Disinfected? Yes No X									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
7 Steel 3 RWP (SR) 6 Aspestos-Cement , 9 Other (specify below) welled										
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.22 ft., Weight lbs./ft. Wall thickness or gauge No.										
Casing height below land surface 0.22 ft., Weight lbs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
ISCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 3 ft. to 13 ft. From ft.										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
SCREEN-FERFURATED INTERVALS: FIGHT 3 II. III 13 III. From III. III III III. III III III III III										
From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 2 ft. to 13 ft. From ft. to ft.										
From ft. to ft. From ft. to ft.										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite (4)Other Concrete: 0-1 ft										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1 ft Grout Intervals From 1 ft. to 2 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination:										
What is the nearest source of possible contamination:										
	l Septic tank	4 Lateral line	s 7 Pit pri	vy	10 Lives	stock pens	13 Inse	cticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedvard 12 Fertilizer storage 15 Oil well/ gas well										
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Direction from well? Southwest How many feet? ~75 ft										
	OM TO		OGIC LOC		FRC			PLUGGING INTE	RVALS	
	$\frac{0}{0}$ $\frac{1}{2}$	Grass. topsoil – Brown				141	<u>,</u>	I DOGGIITG HTT	ALT LLUG	
		fine to coarse sand, trac	e clay							
	2 6	Yellow-brown very fin		nica, fine						
	6 11	Sand lenses, iron staining Yellow-brown very fine		nica tine						
-	11	sand lenses, mottled gra								
		brittle								
	1 13	Gray limestone, crystal	line				Fluchm	ount waiver from B	OW.	
						!	r iusiiili	ount waiver Holl D	U YY	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
	under my jurisdiction and was completed on (mo/day/year) Kansas Water Weil Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 3/23/10									
		ontractor's License No ne of Larsen & Associ		Inis W	by (sign	Record was co	unbiene	ei (moday/year)	_J/10	
INST	RUCTIONS Plea	se till in blanks or circle the	correct answe	rs Send ton	three contr	es to Kansas Der	narrment o	of Health and Environment	. Bureau of Water.	
Geology Section, 1000 SW Jackson St., Suite 420. Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of 55.00 for each constructed well. Tisit us at http://www.kdheks.gov/waterwell.										