WATER WELL RECORD	Form WWC-5	Division of Water Resources Ap	
1 LOCATION OF WATER WELL County: Neosho	L: Fraction - 14 NW 14 SE 14 NE 14		Io. Range Number S R 18 ☑ E □W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection:	If at owner's address, check here .	Latitude: .N.37.67005	(in decimal degrees)
Former Continental Refinery		Longitude: W.9543808(in decimal degrees)	
E 14 St. & Katy Rd, Chanute, KS MW-19		Elevation: unknown	
2 WATER WELL OWNER: ConocoPhillips Company RM and R		Datum: WGS 84, NAD 83, NAD 27 Collection Method:	
RR#, Street Address, Box #: 420 South Keeler Avenue		GPS unit (Make/Model: Garmin Geko 101	
City, State, ZIP Code : Bartlesville, OK 74004		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
De De	il desville, OR 74004	Est. Accuracy: <a>	
3 LOCATE WELL			
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1).13.5 ft. (2) ft. (3) ft.			(2)
SECTION BOX: Depth(s) C	L'S STATIC WATER LEVEL. unk		
Pump test data: Well water wasft. after hours pumping			
	EST VIELD <50 cmm Well water was A often hours numming		
	Bore Hole Diameter 8in. to .24ft., andin. toft.		
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well		
SW - SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well			
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No			
S If yes, mo/day/yr sample was submitted			
l mile Water well disinfected? ☐ Yes ☑ No			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter .2 in. to .24 ft., Diameter in. to ft., Diameter ft.			
Casing height above land surface. 30 in., Weight 0.682 lbs./ft., Wall thickness or gauge No0.154"			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
SCREEN OR PERFORATION OPENINGS ARE:			
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From			
From			
GRAVEL PACK INTERVA	ALS: From!A	A From	π. τοπ.
From			
Grout Intervals: From .0			
What is the nearest source of possible contamination:			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)			
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well			
Direction from well unknown Distance from well unknown Distance from well unknown			
	DLOGIC LOG FROM		PLUGGING INTERVALS
0 15 It brown, fat clay	TAGNI		
15 24 It gray, silty sands			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, □ reconstructed, or □ plugged			
under my jurisdiction and was completed on (mo/day/year) .1.1/9/2010 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 616 This Water Well Record was completed on (mo/day/year) 1/20/2011			
under the business name of Thiele Geotech, Inc. by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .			
KSA 82a-1212		Check: White Copy,	Blue Copy, Pink Copy
7			