WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Neosho	Fraction - 1/4 SW 1/4 SE 1/4 NE 1/4	Section Number Township No. Range Number 28 T 27 S R 18 \(\overline{\mathbb{Z}}\) E \(\overline{\mathbb{W}}\)	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .		Latitude: N.37.66833 (in decimal degrees)	
Former Continental Refinery		Longitude: W.9543833 (in decimal degrees)	
E 14 St. & Katy Rd, Chanute, KS MW-17		Elevation: unknown	
		Datum: WGS 84, NAD 83, NAD 27	
2 WATER WELL OWNER: ConocoPhillips Company RM and R RR#, Street Address, Box #: 420 South Keeler Avenue		Collection Method: GPS unit (Make/Model: Garmin Geko 101	
City State 710 Code		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
Bartie	esville, OK 74004	Est. Accuracy:	
3 LOCATE WELL			
	F COMPLETED WELL .28		
SECTION BOX: Depth(s) Grou	andwater Encountered (1).1.9	ft. (2) ft. (3) ft.	
WELL SSIATIC WATER LEVEL			
	Pump test data: Well water was		
V NW NE EST. YIELD. < 50gpm. Well water was			
W			
Domestic Decellet Doil field water surely December 10 Other (Specific below)			
SW SE Domestic Feedlot Oli field water supply Dewatering Other (specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No			
S If yes, mo/day/yr sample was submitted			
1 mile Water well disinfected? ☐ Yes ☑ No			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter .2 in. to .28 ft., Diameter in. to ft., Diameter in. to			
Casing height above land surface. 30 in., Weight 0.682 lbs./ft., Wall thickness or gauge No0.154"			
TYPE OF SCREEN OR PERFORATIO	N MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)			
SCREEN-PERFORATED INTERVALS: From			
From			
GRAVEL PACK INTERVALS: From16 ft. to28 ft., From ft. to ft.			
From			
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout			
Grout Intervals: From .9 ft.	to ft., From	ft. to ft., From ft. toft.	
What is the nearest source of possible contamination:			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well			
Direction from well unknown		from well unknown	
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 15 brown, silty clay			
15 20 ol gray, silty sands			
20 28 ol gray, fine to mediu	m sands		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged			
under my jurisdiction and was completed on (mo/day/year) .1.1/9/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No6.16 This Water Well Record was completed on (mo/day/year) 1/20/2011			
under the business name of Thiele Geotech, Inc. by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			