WATER WELL RE	ECORD	Form W	WC-5			r Resources App. N	0.	
1 LOCATION OF WATER WELL: County: Neosho		Fraction - ¼ SE ¼ SW	14 NE 14		on Number 28	Township No. T 27 S	Range Number R 18	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude: .N.37,66978			
Former Continental Refinery E 14 St. & Katy Rd, Chanute, KS RW-				Longitude: W.9543980 (in decimal degrees) Elevation: unknown				
2 WATER WELL OWNER: ConocoPhillips Company RM a				Datum: ☑ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
RR#, Street Address City, State, ZIP Cod	s, Box #: 420 Sou	uth Keeler Avenue ville, OK 74004	GPS unit (Make/Model: Garmin Geko 101					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 28								
WITH AN "X" IN SECTION BOX:	N BOX: Depth(s) Groundwater Encountered (1) 16 ft. (2) ft. (3) ft.							
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
	Pump test data: Well water wasft. after							
EST. YIELD. < 50gpm. Well water was								
W K E Bore Hole Diameter 8								
WELL WATER TO BE USED AS. Fubic water supply Geothermal Injection went Injection went Compared to the Compared to th								
Industrial □ Domestic-lawn & garden ☑ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
S If yes, mo/day/yr sample was submitted mile Water well disinfected? Yes No								
water well distincted: [2] Tes [2] No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .4								
Casing height above land surface. 30 in., Weight 2.006lbs./ft., Wall thickness or gauge No0.237								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other Grout Intervals: From .0								
Grout Intervals: From								
What is the hearest source of possible contamination: Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from wellunknown								
FROM TO	LITHOLOG	IC LOG	FROM	TO			JGGING INTERVALS	
	own to gray, fat cl							
	silty sands							
T CONTRACTOR	AD F ARIBASTIST	MO CERTAINS A TOP	N. TI					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year) .12/15/2010 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 616 This Water Well Record was completed on (mo/day/year) 1420/2011								
under the business name of Thiele Geotech, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check we correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: M White Copy, D Blue Copy, Pink Copy								
Kor ozu-1212								