WATER WELL RECORD			Form W	WC-5	Division of Wate	r Resources App. No	D	
1 LOCATION OF WATER WELL: County: Neosho		Fraction - ¼ NW ¼ SE	¼ NE ¼	Section Number 28	Township No. T 27 S	Range Number R 18		
			if unknown, distance &	Global Positioning	System (GPS) in	formation:		
	from nearest town or intersection: If at owner's address, check here .					Latitude: .N. 37. 67.103 (in decimal degrees)		
	Former Continental Refinery E 14 St. & Katy Rd, Chanute, KS MW-26				Longitude: W.9543842 (in decimal degrees) Elevation: unknown			
			Phillips Company RM and R		Datum: ✓ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 420 Sou			uth Keeler Avenue		GPS unit (Make/Model: Garmin Geko 101			
			rille, OK 74004		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL								
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL .19							
SECT	WELL'S STATIC WATER LEVEL unkft. below land surface measured on mo/day/yr							
	Pump test data: Well water wasft. after hours pumping gpm							
NW	EST. YIELD. \$50gpm. Well water was							
W Bore Hole Diameter 8in. to .19ft., andin. toft.							ft.	
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
SWSE								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From7								
From								
Grout Intervals: From								
	he nearest sou	arce of possible conta	ımination:		,			
Septic tank								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well unknown Distance from well unknown								
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
		rown, fat clay						
15	19 oran	ige, sandy gravel		<u> </u>				
			· · · · · ·					
7 CONT	DACTORS	OD I ANDOWNED	DE CEDTIFICATION	No This wast	www.ll.wog 🗖	noted 🔲	oted on Dulineral	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was								
Kansas Water Well Contractor's License No. 616 This Water Well Record was completed on (mo/day/year) 1/20/2011								
under the business name of Thiele Geotech, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								