\A/ATED\A/ELL	DECODD	Form WWC-5	VCA 02- 1212
VVAIER VVELL	RECURD	FORM VVVVC-5	KSA 828-1212

1 LOCATION OF WATER WELL:	Fraction		I Se	ection Number		ber	Range N	umber
County: Neosho	1	IE ¼ SE	1/4	17	T 27	SR	18	EW
Distance and direction from nearest town								
1201 N. Sante Fe, Chanute, Kan	sas							1
2 WATER WELL OWNER: Kansas De	pt. of Health & Env.							
PD# Ct Address Bout Forbes Fiel	d				Board of Agricult	re Division of	\Mater E	Pasaurana
City, State, ZIP Code : Building 74					Application Numb		vvaler	resources
		TEDWELL	40	A [15]				
INITH AN "Y" IN SECTION BOY.	DEPTH OF COMPLE							
	epth(s) Groundwater I							
A W	ELL'S STATIC WATE							
					fter h			
	st. Yield NA g							
B B	ore Hole Diameter	$\dots 8 \dots$ in. to .	.4. 8	3 ft.,	and	in. to		ft
E W	VELL WATER TO BE	USED AS: 5 F	Public wate	r supply	8 Air conditioning	11 Injectio	n well	
	1 Domestic 3	Feedlot 6 (Oil field wat	er supply	9 Dewatering	12 Other	Specify	below)
sw se	2 Irrigation 4				10 Monitoring well			
<u> </u>	Vas a chemical/bacter							nple was
	ubmitted				ater Well Disinfected	-		/
5 TYPE OF BLANK CASING USED:	5 \Mr.	ought iron	8 Conc		CASING JOIN			V
1 Steel 3 RMP (SR)		estos-Cement		(specify belo		Welded		
l -				` '		Threaded.		
2)PVC 4 ABS								
Blank casing diameter 2								
Casing height above land surface		eight			ft. Wall thickness or	gauge No		
TYPE OF SCREEN OR PERFORATION I	WATERIAL		(7)P\	/C	10 Asbes	tos-cement		
1 Steel 3 Stainless s	teel 5 Fibe	erglass	8 RM	/IP (SR)	11 Other	(specify)		
2 Brass 4 Galvanized	steel 6 Cor	ncrete tile	9 AE	3S	12 None	used (open hol	e)	
SCREEN OR PERFORATION OPENINGS	S ARE:	5 Gauzed	wrapped		8 Saw cut			en hole)
1 Continuous slot 3 Mill	slot	6 Wire w	• • •		9 Drilled holes		(- -	
	punched	7 Torch o			10 Other (specify) .			
SCREEN-PERFORATED INTERVALS:	•							
OSTALLITY ETA STATILES INTERVOLES.					om			
GRAVEL PACK INTERVALS:	From 1.6 .	ft. to	4.8.	ft Fr	om	ft to		ft
G. V. V. Z. V. V. G. V. W. Z. V. V. V. V. Z. V. V. V. Z. V.					om			
al CDOLE MATERIAL								-
6 GROUT MATERIAL: 1 Neat ce		ent grout			Other			
Grout Intervals: From		t, From	⊅. T ft.					1
What is the nearest source of possible c	ontamination:				stock pens	14 Abandoi	ned wate	er well
1 Septic tank 4 Lateral	lines	7 Pit privy		11 Fuel	storage	15 Oil well/		
2 Sewer lines 5 Cess p	ool	8 Sewage lagoo	n	12 Ferti	lizer storage	06 Other (s Refiner	pecify b	elow)
3 Watertight sewer lines 6 Seepag	ge pit	9 Feedyard		13 Inse	cticide storage	Refiner	y	
Direction from well?				How mai	ny feet?		•	
FROM TO	LITHOLOGIC LOG		FROM	1 10	PLUC	GING INTERV	ALS	
0 1.5 Fill,								
-	Clay, Olive Grey			 				
3.2 4.8 Sandstone, Ligh								·
512 110 54114515110, 215								
				-				
				<u> </u>				
				1	MW-B39 , Tag # , Flo	ıshmount		
Project Name: Golder - Chanute								
					GeoCore # 651, Marc			
7 001 770 070 071 1170 071	OCDTE CATON T	ia	A				. leade d'	
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: TI	iis water well was	CONST	ucted, (2) rec				
and was completed on (mo/day/year)					ecord is true to the b			
Kansas Water Well Contractor's License	577							
	: No	This	Water We			ay/yr)	4/1.7/9	
under the business name of INSTRUCTIONS: Use typewriter or ball point	GeoCore Ser	vices, Inc.		by (signa	ature) Que	Rel	/ 	