WATER WELL RECORD Form WWC-5 X Original Record Correction Change in Well Ust		Division of Water Resources App. No.		Well ID	MW20		
1 LOCATION OF WATER WELL: Fraction		I .	er Township Nun		Number		
County Montgomery NE ¼ NE ¼ NE ¼ NE ¼ DE ¼ DE ¼ DE ¼ DE ¼							
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:							
Address: 1000 SW Jackson St. 720 North Santa Fe, Chanute, KS							
Address: City Topeka State: KS ZIP: 66	512						
3 LOCATE WELL 4 DEPTH OF COMPLETE	WELL: 15 ft	5 Latitude: Longitude	37.688 95.452		eimal degrees) cimal degrees)		
WITH "X" IN Depth(s) Groundwater Encountered SECTION BOX: 2) ft 3) ft,	: 1)ft or 4) Dry Well		Datum: WGS		83 NAD 27		
N WELL'S STATIC WATER LEVEL	: <u>3.47</u> ft.	Source for	Latitude/Longitude				
x X below land surface, measure	d on (mo-day-yr)5/5/2022 d on (mo-day-yr)		unit make/model: AAS enabled?	Yes No)		
NW NE Pump test data: Well water was	d on (mo-day-yr)	X Land S	Survey Topog	,	,		
w E after hours pumpin Water well wa	after hours pumping gpm Online Mapper						
after hours numpin		6 Elevation	934.73 ft	Ground Lo	evel X TOC		
Estimated Yield:gp	n	Source X Land Survey GPS Topographic Map					
Bore Hole Diameter: 7.25	in to ft, and	and Other					
mile							
7 WELL WATER TO BE USED AS: 1 Domestic: 5 Public Water Supply: well II)	IO Oil Field V	Water Supply: leas	c			
Household 6 Dewatering: how many wel		11 Test Hole: wel					
Lawn & Garden 7 Aquifer Recharge: well ID		Cased	Uncased	Geotechnic	al		
Livestock 8 X Monitoring: well ID MW2 Irrigation 9 Environmental Remediation: we		12 Geothermal: Ho a) Closed Loo		l Vertic	al		
3 Feedlot Air Sparge Soil V	apor Extraction	b) Open Loop	Surface D				
4 Industrial Recovery Inject	on	Other (spe	ecify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes X No If yes, date sample was submitted: Water well disinfected? Yes X No							
	CASING	IOINTS: Gli	red Clampled	Welded	X Threaded		
Casing diameter 2 in to 5 ft, Diameter in to ft, Diameter in to ft,							
Casing height above land surface -0.36 in. Weight lbs./ft. Well thickness or gauge No TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel Fiberglass X PVC Other (Specify)							
Brass Galvanized Steel Concrete tile None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot X Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)							
Continuous Slot X Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From 5 ft. to 15 ft, From ft. to ft, From ft. to ft,							
GRAVEL PACK INTERVALS: From 3 ft. to 15 ft, From ft. to ft, From ft. to ft,							
9 GROUT MATERIAL: Neat cement Cement grout X Bentonite X Other Concrete: 0-0.5' Grout intervals: From 0.5 ft. to 3 ft, From ft. to ft, From ft. to ft,							
Nearest source of possible contamination:							
	·	ivestock Pens	Insecticide	· ·			
		X Fuel Storage Abandoned Water Well Fertilizer Storage Oil Well / Gas Well					
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well / Gas Well Other (Specity)							
	stance from well? ~15		ſſ				
10 FROM TO LITHOLOGIC LOG 0 0.5 Concrete	FRON	И ТО	LITHO. LOG (co	ont.) or PLUGGIN	IG INTERVALS		
0.5 Gravel fill							
l 15 Sandstone							
	Note: 1/	DHE ID: Amore	Chandler 113-067	-00050 A & R			
Notes: KDHE ID: Amoco, Chandler; U3-067-00050 A&B Target of monitoring well is shallow groundwater, <20' of grout was installed at							
the direction of KDHE. 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, reconstructed, or plugged under my							
jurisdiction and was completed on (mo-day-year) 2/1/22 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's							
License No 757 This Water Well Record was completed on (mo-day-year) 5/18/22 under the business name of Larsen & Associates, Inc. Signature							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment Surgery (Watyr, GWL9 Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html	KSA 82a-1212			11011301			

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home 785-286-1990 Fax

Jess Chapman Larson & Assoc. 1311 E. 25th St., Suite B Lawrence, Kansas, 66046 March 6, 2022

RE: Monitor Well Elevation Survey 720 North Santa Fe, Chanute, Kansas

Proj. 22-00N Amoco, Chandler U3-067-00050 A&B

Bench Mark: Chisled Square on NW corner of concrete signal light base near the SE corner of property and or NW corner of Santa Fe Ave. and Cherry Street.

Elev: 940.65	North 5009.19	West 45.63	(from SE Cor. Sec. 20-27-18E)
MW-13R rim top pipe	935.07 North 934.85 West		NE1/4,NE1/4,NE1/NE1/4 Lat= 37.68882 Long = 95.45286
MW-19 rim	940.59 North		NE1/4,NE1/4,NE1/4
top pipe			Lat= 37.68875 Long = 95.45332
MW-20 rim top pipe	935.09 North 934.73 West		NE1/4,NE1/4,NE1/4 Lat= 37.68874 Long = 95.45277
MW-21 rim top pipe	932.39 North 931.89 West		SE1/4,SE1/4,SE1/4,SE1/4 (Sec. 17-27-18E) Lat= 37.68923 Long = 95.45322
MW-22 rim top pipe	939.34 North 939.06 East		SW1/4,NW1/4,NW1/4,NW1/4 (Sec. 21-27-18E) Lat= 37.68785 Long = 95.45252

Lat & Long derived from Chanute 7.5' quad map. WGS 84.

Elevation established from NMGS BM H 246, NAVD 88.

If you have any questions, please feel free to call me. Thank you for the opportunity to be

Denn's L. Handke R.

